




**SECTION 7
Packages**

**Oven, Booth and Gun Batch Package Overview
Call for additional sizes to *MEET YOUR PROCESS NEEDS !***



3-stage Disposable



**Gas-fired
or Electric**

**ITW Gema
Systems**



**Self-cleaning
Pulse Cartridge**

Batch Packages featuring *ITW Gema Manual Spray Systems w/ 5 YEAR WARRANTY*

Catalog Page #	KOTEmaster Package	Oven Size (ID)	Fuel Type Max Temp	Booth Size (ID)	Spray System <i>5 year warranty</i>
Pg 34	040604JE	4W-6H-4D	Electric - 500F	6W-7H-7D	ITW Gema Optiflex2
Pg 35	040608JE	4W-6H-8D	Electric - 500F	6W-7H-10D	ITW Gema Optiflex2
Pg 36	060608JE	6W-6H-8D	Electric - 500F	10W-8H -10D	ITW Gema Optiflex2
Pg 37	060608JG	6W-6H-8D	Gas - 500F	10W-8H -10D	ITW Gema Optiflex2
Pg 38	060612JG	6W-6H-12D	Gas - 500F	10W-8H -12D	ITW Gema Optiflex2
Pg 39	060615RG	6W-6H-15D	Gas - 500F	10W-8H -15D	ITW Gema Optiflex2
Pg 40	060616RG	6W-6H-16D	Gas - 500F	10W-8H -16D	ITW Gema Optiflex2
Pg 41	060620RG	6W-6H-20D	Gas - 500F	10W-8H-20D	ITW Gema Optiflex2
Pg 42	060625RG	6W-6H-25D	Gas - 500F	10W-8H-25D	ITW Gema Optiflex2
Pg 43	080810RG	8W-8H-10D	Gas - 500F	10W-8H-10D	ITW Gema Optiflex2
Pg 44	080815RG	8W-8H-15D	Gas - 500F	10W-8H-15D	ITW Gema Optiflex2
Pg 45	080816RG	8W-8H-16D	Gas - 500F	10W-8H-16D	ITW Gema Optiflex2
Pg 46	080820RG	8W-8H-20D	Gas - 500F	10W-8H-20D	ITW Gema Optiflex2
Pg 47	080821RG	8W-8H-21D	Gas - 500F	10W-8H-21D	ITW Gema Optiflex2
Pg 48	080825RG	8W-8H-25D	Gas - 500F	10W-8H-25D	ITW Gema Optiflex2
Pg 49	080826RG	8W-8H-26D	Gas - 500F	10W-8H-26D	ITW Gema Optiflex2
Pg 50	080830RG	8W-8H-30D	Gas - 500F	10W-8H-30D	ITW Gema Optiflex2

Unauthorized service will void manufacturers warranty and is performed at the expense of the purchaser. Prices subject to change without notice. Leads times may vary. All powder system sales final. Manufacturer limited warranty applies. Replacement parts or unit replacement at the discretion of manufacturer. Equipment damaged by shipping is the responsibility of the freight hauler. Documentation of freight damage is the responsibility of the purchaser. Ovens and booths do not carry ETL certification as a unit unless otherwise specified. 15% cancellation fee. Not included: freight, taxes, permitting, regulatory review, inspections, certifications, mechanical or electrical installation, fire suppression or exhaust duct.



Continued - Oven, Booth and Gun Batch Package Overview

Batch Packages featuring *ITW Gema Manual Spray Systems w/ 5 YEAR WARRANTY*

Catalog Page #	KOTEmaster™ Package	Oven Size (ID)	Fuel Type Max Temp 500F	Booth Size (ID)	Spray System 5 year warranty
Pg 51	100820RG	10W-8H-20D	Gas - 500F	12W-8H-20D	ITW Gema Optiflex2
Pg 52	100821RG	10W-8H-21D	Gas - 500F	12W-8H-21D	ITW Gema Optiflex2
Pg 53	100825RG	10W-8H-25D	Gas - 500F	12W-8H-25D	ITW Gema Optiflex2
Pg 54	100826RG	10W-8H-26D	Gas - 500F	12W-8H-26D	ITW Gema Optiflex2
Pg 55	100830RG	10W-8H-30D	Gas - 500F	12W-8H-30D	ITW Gema Optiflex2
Pg 56	101020RG	10W-10H-20D	Gas - 500F	12W-10H-20D	ITW Gema Optiflex2
Pg 57	101021RG	10W-10H-21D	Gas - 500F	12W-10H-21D	ITW Gema Optiflex2
Pg 58	101025RG	10W-10H-25D	Gas - 500F	12W-10H-25D	ITW Gema Optiflex2
Pg 59	101026RG	10W-10H-26D	Gas - 500F	12W-10H-26D	ITW Gema Optiflex2
Pg 60	101030RG	10W-10H-30D	Gas - 500F	12W-12H-30D	ITW Gema Optiflex2
Pg 61	101035RG	10W-10H-35D	Gas - 500F	12W-12H-35D	ITW Gema Optiflex2
Pg 62	101040RG	10W-10H-40D	Gas - 500F	12W-12H-40D	ITW Gema Optiflex2
Pg 63	101045RG	10W-10H-45D	Gas - 500F	12W-12H-45D	ITW Gema Optiflex2
Pg 64	121230RG	12W-12H-30D	Gas - 500F	14W-12H-30D	ITW Gema Optiflex2
Pg 65	121235RG	12W-12H-35D	Gas - 500F	14W-12H-35D	ITW Gema Optiflex2
Pg 66	121240RG	12W-12H-40D	Gas - 500F	14W-12H-40D	ITW Gema Optiflex2
Pg 67	121245RG	12W-12H-45D	Gas - 500F	14W-12H-45D	ITW Gema Optiflex2

Gas Ovens: Chose between natural gas (NG) or propane (LPG) at no extra charge.

Unauthorized service will void manufacturers warranty and is performed at the expense of the purchaser. Prices subject to change without notice. Leads times may vary. All powder system sales final. Manufacturer limited warranty applies. Replacement parts or unit replacement at the discretion of manufacturer. Equipment damaged by shipping is the responsibility of the freight hauler. Documentation of freight damage is the responsibility of the purchaser. Ovens and booths do not carry ETL certification as a unit unless otherwise specified. 15% cancellation fee. Not included: freight, taxes, permitting, regulatory review, inspections, certifications, mechanical or electrical installation, fire suppression or exhaust duct.



QUOTE SUMMARY: Package #040604JE (includes 4w-6h-4d 500F ELECTRIC oven)

<p>Powder Coating Oven - One (1) fully assembled, expandable 4'W x 6'H x 4'D (ID) 500F electric powder coating oven, horizontal airflow circulation system with 15 kW heat delivered by 2,400 cfm circulation with TEFC motor, Class B vent, solid state relay controller, 10-ga. steel floor, single set-point digital temperature controller, shutdown timer, high limit switch, main power switch, fully wired and tested. 208/240V single-phase or 208/240/460V 3-phase.</p> <p>Powder Coating Booth - One (1) unassembled 6'W x 7'H x 7'D (ID) powder booth (non-recovery type) w/ 2-stage ASHRAE disposable exhaust filters, one (1) ceiling 4-tube 24"x48" fluorescent fixture w/ tempered glass. <i>Formed on CNC equipment for CAD precision. Wall panels are CNC pre-punched for easy assembly. 5/16th nut/bolt construction.</i> Tubeaxial fan/motor/drive with non-sparking blade. Hardware/sealants. <i>All in one shipment.</i> 208v/230v/460v/3ph.</p> <p style="text-align: right;">Package #040604JE Price</p>	<p>\$ 12,393.00</p>
<p>Manual Spray System - One (1) ITW Gema Optiflex2C CUP Model</p> <p>Manual Spray System - One (1) ITW Gema Optiflex2L MINI-HOPPER (3 lb) Model</p> <p>Manual Spray System - One (1) ITW Gema Optiflex2B BOX FEED Dipstick Model</p> <p>Manual Spray System - One (1) ITW Gema Optiflex2F HOPPER Model</p> <p style="text-align: center;"><i>Featuring the Industries BEST 5 YEAR WARRANTY!</i></p>	<p>ADD \$ 5,200.00</p> <p>ADD \$ 5,200.00</p> <p>ADD \$ 5,800.00</p> <p>ADD \$ 5,695.00</p>
<p>Powder Coating Guidebook w/ Powder Coating Test Procedures and Technical Briefs, Powder Coating System Troubleshooting Guide, Cost Analysis Software.</p>	<p>ADD \$ 137.00</p>
<p>Oven - Upgrade from std. 15 kW heater TO 22.5 kW heater per module.</p> <p>Oven - Upgrade from std. 15 kW heater TO 30 kW heater per module.</p>	<p>ADD \$ 595.00</p> <p>ADD \$ 695.00</p>
<p>Booth - Add 3rd stage High Efficiency Filter(s) and housing to 2-stage Disposable ASHRAE Filter Booth to recirculate exhaust. Eliminates need for ceiling or wall penetrations.</p> <p>Booth - Front filtered doors</p> <p>Booth - Side man-door</p> <p>Booth - Change from 3-phase to single phase</p> <p>Booth - Crating</p>	<p>ADD \$ 795.00</p> <p>ADD \$ 835.00</p> <p>ADD \$ 236.00</p> <p>ADD \$ 212.00</p> <p>Included</p>
<p>Manual Spray System freight (FedEx)</p> <p>Booth lead time – 2-3 weeks. Booth freight not included</p> <p>Oven lead time – 2-3 weeks. Oven freight not included</p>	<p>ADD \$ 75.00</p> <p>Not included</p> <p>Not included</p>
<p>Standard terms 50% down with order, balance prior to ship.</p>	<p>TOTAL</p>

Unauthorized service will void manufacturers warranty and is performed at the expense of the purchaser. Prices subject to change without notice. Leads times may vary. All powder system sales final. Manufacturer limited warranty applies. Replacement parts or unit replacement at the discretion of manufacturer. Equipment damaged by shipping is the responsibility of the freight hauler. Documentation of freight damage is the responsibility of the purchaser. Ovens and booths do not carry ETL certification as a unit unless otherwise specified. 15% cancellation fee. Not included: freight, taxes, permitting, regulatory review, inspections, certifications, mechanical or electrical installation, fire suppression or exhaust duct.



QUOTE SUMMARY: Package #040608JE (includes 4w-6h-8d 500F ELECTRIC oven)

<p>Powder Coating Oven - One (1) 2-piece, expandable 4'W x 6'H x 8'D (ID) 500F electric walk-in oven, horizontal airflow circulation system with 30 kW TOTAL (QTY (2) 15 kW heaters) delivered by 4,800 cfm circulation with TEFC motor, adjustable Class B vent, solid state relay controller, 10-ga. steel floor, single set-point digital temperature controller, shutdown timer, high limit switch, main power switch, fully wired and tested. 208/240V single-phase or 208/240/460V 3-phase.</p> <p>Powder Coating Booth - One unassembled (1) 6'W x 7'H x 10'D (ID) powder booth (non-recovery type) w/ 2-stage ASHRAE disposable exhaust filters, one (1) ceiling 4-tube 24"x48" fluorescent fixtures w/ tempered glass. Formed on CNC equipment for CAD precision. Wall panels are CNC pre-punched for easy assembly. 5/16th nut/bolt construction. Tubeaxial fan/motor/drive with non-sparking blade. Hardware/sealants. All in one shipment. 208v/230v/460v/3ph.</p> <p style="text-align: right;">Package #040608JE Price</p>	<p style="text-align: right;">\$ 14,600.00 each</p> <p style="text-align: right;">\$ 3,931.00 each</p> <p style="text-align: right;">\$ 18,531.00</p>
<p>Manual Spray System - One (1) ITW Gema Optiflex2C CUP Model</p> <p>Manual Spray System - One (1) ITW Gema Optiflex2L MINI-HOPPER (3 lb) Model</p> <p>Manual Spray System - One (1) ITW Gema Optiflex2B BOX FEED Dipstick Model</p> <p>Manual Spray System - One (1) ITW Gema Optiflex2F HOPPER Model</p> <p style="text-align: center;"><i>Featuring the Industries BEST 5 YEAR WARRANTY!</i></p>	<p style="text-align: right;">ADD \$ 5,200.00</p> <p style="text-align: right;">ADD \$ 5,200.00</p> <p style="text-align: right;">ADD \$ 5,800.00</p> <p style="text-align: right;">ADD \$ 5,695.00</p>
<p>Powder Coating Guidebook w/ Powder Coating Test Procedures and Technical Briefs, Powder Coating System Troubleshooting Guide, Cost Analysis Software.</p>	<p style="text-align: right;">ADD \$ 137.00</p>
<p>Oven - Upgrade from std. 30 kW TOTAL TO 45 kW TOTAL</p> <p>Oven - Upgrade from std. 30 kW TOTAL TO 60 kW TOTAL</p>	<p style="text-align: right;">ADD \$ 1,190.00</p> <p style="text-align: right;">ADD \$ 1,390.00</p>
<p>Booth - Add 3rd stage High Efficiency Filter(s) and housing to 2-stage Disposable ASHRAE Filter Booth to recirculate exhaust. Eliminates need for ceiling or wall penetrations.</p> <p>Booth - Front filtered doors</p> <p>Booth - Side man-door</p> <p>Booth - Change from 3-phase to single phase</p> <p>Booth - Crating</p>	<p style="text-align: right;">ADD \$ 795.00</p> <p style="text-align: right;">ADD \$ 835.00</p> <p style="text-align: right;">ADD \$ 236.00</p> <p style="text-align: right;">ADD \$ 211.00</p> <p style="text-align: right;">Included</p>
<p>Manual Spray System freight (FedEx)</p> <p>Booth lead time – 2-3 weeks. Booth freight not included</p> <p>Oven lead time – 2-3 weeks. Oven freight not included</p>	<p style="text-align: right;">ADD \$ 75.00</p> <p style="text-align: right;">Not included</p> <p style="text-align: right;">Not included</p>
<p>Standard terms 50% down with order, balance prior to ship.</p>	<p style="text-align: right;">TOTAL</p>

Unauthorized service will void manufacturers warranty and is performed at the expense of the purchaser. Prices subject to change without notice. Leads times may vary. All powder system sales final. Manufacturer limited warranty applies. Replacement parts or unit replacement at the discretion of manufacturer. Equipment damaged by shipping is the responsibility of the freight hauler. Documentation of freight damage is the responsibility of the purchaser. Ovens and booths do not carry ETL certification as a unit unless otherwise specified. 15% cancellation fee. Not included: freight, taxes, permitting, regulatory review, inspections, certifications, mechanical or electrical installation, fire suppression or exhaust duct.



QUOTE SUMMARY: Package #060608JE (includes 6w-6h-8d 450F ELECTRIC oven)

<p>Powder Coating Oven - One (1) 2-piece 6'W x 6'H x 8'D (ID) 500F electric walk-in oven, horizontal airflow system, 40 kW TOTAL QTY (2) 20 kW heaters) delivered by 4,800 cfm circulation with TEFC motor, adjustable Class B vent, solid state relay controller, 10-ga. steel floor, single set-point digital temperature controller, shutdown timer, high limit switch, main power switch, fully wired and tested. 208/240V single-phase or 208/240/460V 3-phase.</p> <p>Powder Coating Booth - One unassembled (1) 10'W x 8'H x 10'D (ID) powder booth (non-recovery type) w/ 2-stage ASHRAE disposable exhaust filters, two (2) ceiling and two (2) side-wall 4-tube 24"x48" fluorescent fixtures w/ tempered glass. Formed on CNC equipment for CAD precision. Wall panels are CNC pre-punched for easy assembly. 5/16th nut/bolt construction. Tubeaxial fan/motor/drive with non-sparking blade. Hardware/sealants. All in one shipment. 208v/230v/460v/3ph.</p> <p style="text-align: right;">Package #060608JE Price</p>	<p>\$ 25,140.00</p>
<p>Manual Spray System - One (1) ITW Gema Optiflex2C CUP Model</p> <p>Manual Spray System - One (1) ITW Gema Optiflex2L MINI-HOPPER (3 lb) Model</p> <p>Manual Spray System - One (1) ITW Gema Optiflex2B BOX FEED Dipstick Model</p> <p>Manual Spray System - One (1) ITW Gema Optiflex2F HOPPER Model</p> <p style="text-align: center;"><i>Featuring the Industries BEST 5 YEAR WARRANTY!</i></p>	<p>ADD \$ 5,200.00</p> <p>ADD \$ 5,200.00</p> <p>ADD \$ 5,800.00</p> <p>ADD \$ 5,695.00</p>
<p>Powder Coating Guidebook w/ Powder Coating Test Procedures and Technical Briefs, Powder Coating System Troubleshooting Guide, Cost Analysis Software.</p>	<p>ADD \$ 137.00</p>
<p>Booth - Add 3rd stage High Efficiency Filter(s) and housing to 2-stage Disposable ASHRAE Filter Booth to recirculate exhaust. Eliminates need for ceiling or wall penetrations.</p> <p>Booth - Front filtered doors</p> <p>Booth - Side man-door</p> <p>Booth - Change from 3-phase to single phase</p> <p>Booth - Crating</p>	<p>ADD \$ 1,211.00</p> <p>ADD \$ 835.00</p> <p>ADD \$ 236.00</p> <p>ADD \$ 211.00</p> <p>Included</p>
<p>Manual Spray System freight (FedEx)</p> <p>Booth lead time - 3 weeks. Booth freight not included</p> <p>Oven lead time - 5 weeks. Oven freight not included</p>	<p>ADD \$ 75.00</p> <p>Not included</p> <p>Not included</p>
<p>Standard terms 50% down with order, balance prior to ship.</p>	<p>TOTAL</p>

Unauthorized service will void manufacturers warranty and is performed at the expense of the purchaser. Prices subject to change without notice. Leads times may vary. All powder system sales final. Manufacturer limited warranty applies. Replacement parts or unit replacement at the discretion of manufacturer. Equipment damaged by shipping is the responsibility of the freight hauler. Documentation of freight damage is the responsibility of the purchaser. Ovens and booths do not carry ETL certification as a unit unless otherwise specified. 15% cancellation fee. Not included: freight, taxes, permitting, regulatory review, inspections, certifications, mechanical or electrical installation, fire suppression or exhaust duct.



QUOTE SUMMARY: Package #060608JG (includes 6w-6h-8d 500F GAS oven)

<p>Powder Coating Oven - One (1) 3-piece modular 6'W x 6'H x 8'D (ID) walk-in natural gas or propane fired powder coating oven, <i>easy 3-piece modular assembly</i>, double doors one end, rear mounted burner, <i>pre-wired control panel w/ digital controls and shut-down timer, pre-assembled, pre-piped, pre-wired burner box and gas train</i> w/ Powerflame burner, flame safety and control valves. 460/230/208/60/3/1.</p> <p>Powder Coating Booth - One unassembled (1) 10'W x 8'H x 10'D (ID) powder booth (non-recovery type) w/ 2-stage ASHRAE disposable exhaust filters, two (2) ceiling and two (2) side-wall 4-tube 24"x48" fluorescent fixtures w/ tempered glass. <i>Formed on CNC equipment for CAD precision. Wall panels are CNC pre-punched for easy assembly. 5/16th nut/bolt construction.</i> Tubeaxial fan/motor/drive with non-sparking blade. Hardware/sealants. <i>All in one shipment.</i> 208v/230v/460v/3ph.</p> <p style="text-align: right;">Package #060608JG Price</p>	<p>\$ 24,240.00</p>
<p>Manual Spray System - One (1) <i>ITW Gema Optiflex2C CUP</i> Model</p> <p>Manual Spray System - One (1) <i>ITW Gema Optiflex2L MINI-HOPPER (3 lb)</i> Model</p> <p>Manual Spray System - One (1) <i>ITW Gema Optiflex2B BOX FEED Dipstick</i> Model</p> <p>Manual Spray System - One (1) <i>ITW Gema Optiflex2F HOPPER</i> Model</p> <p style="text-align: center;"><i>Featuring the Industries BEST 5 YEAR WARRANTY !</i></p>	<p>ADD \$ 5,200.00</p> <p>ADD \$ 5,200.00</p> <p>ADD \$ 5,800.00</p> <p>ADD \$ 5,695.00</p>
<p>Powder Coating Guidebook w/ Powder Coating Test Procedures and Technical Briefs, Powder Coating System Troubleshooting Guide, Cost Analysis Software.</p>	<p>ADD \$ 137.00</p>
<p>Oven - 2nd set of doors (doors both ends)</p>	<p>ADD \$ 1,195.00</p>
<p>Booth - Add 3rd stage High Efficiency Filter(s) and housing to 2-stage Disposable ASHRAE Filter Booth to recirculate exhaust. Eliminates need for ceiling or wall penetrations.</p> <p>Booth - Front filtered doors</p> <p>Booth - Side man-door</p> <p>Booth - Change from 3-phase to single phase</p> <p>Booth - Crating</p>	<p>ADD \$ 1,211.00</p> <p>ADD \$ 835.00</p> <p>ADD \$ 236.00</p> <p>ADD \$ 211.00</p> <p>Included</p>
<p>Manual Spray System freight (FedEx)</p> <p>Booth lead time - 3 weeks. Booth freight not included</p> <p>Oven lead time - 5 weeks. Oven freight not included</p>	<p>ADD \$ 75.00</p> <p>Not included</p> <p>Not included</p>
<p>Standard terms 50% down with order, balance prior to ship.</p>	<p>TOTAL</p>

Unauthorized service will void manufacturers warranty and is performed at the expense of the purchaser. Prices subject to change without notice. Leads times may vary. All powder system sales final. Manufacturer limited warranty applies. Replacement parts or unit replacement at the discretion of manufacturer. Equipment damaged by shipping is the responsibility of the freight hauler. Documentation of freight damage is the responsibility of the purchaser. Ovens and booths do not carry ETL certification as a unit unless otherwise specified. 15% cancellation fee. Not included: freight, taxes, permitting, regulatory review, inspections, certifications, mechanical or electrical installation, fire suppression or exhaust duct.



QUOTE SUMMARY: Package #060612JG (includes 6w-6h-12d 500F GAS oven)

<p>Powder Coating Oven - One (1) 4-piece modular 6'W x 6'H x 12'D (ID) walk-in natural gas or propane fired powder coating oven, <i>easy 4-piece modular assembly</i>, double doors one end, rear mounted burner, <i>pre-wired control panel w/ digital controls and shut-down timer, pre-assembled, pre-piped, pre-wired burner box and gas train</i> w/ Powerflame burner, flame safety and control valves. 460/230/208/60/3/1.</p> <p>Powder Coating Booth - One unassembled (1) 10'W x 8'H x 12'D (ID) powder booth (non-recovery type) w/ 2-stage ASHRAE disposable exhaust filters, two (2) ceiling and two (2) side-wall 4-tube 24"x48" fluorescent fixtures w/ tempered glass. <i>Formed on CNC equipment for CAD precision. Wall panels are CNC pre-punched for easy assembly. 5/16th nut/bolt construction.</i> Tubeaxial fan/motor/drive with non-sparking blade. Hardware/sealants. <i>All in one shipment.</i> 208v/230v/460v/3ph.</p> <p style="text-align: right;">Package #060612JG Price</p>	<p>\$ 27,540.00</p>
<p>Manual Spray System - One (1) ITW Gema Optiflex2C CUP Model</p> <p>Manual Spray System - One (1) ITW Gema Optiflex2L MINI-HOPPER (3 lb) Model</p> <p>Manual Spray System - One (1) ITW Gema Optiflex2B BOX FEED Dipstick Model</p> <p>Manual Spray System - One (1) ITW Gema Optiflex2F HOPPER Model</p> <p style="text-align: center;"><i>Featuring the Industries BEST 5 YEAR WARRANTY!</i></p>	<p>ADD \$ 5,200.00</p> <p>ADD \$ 5,200.00</p> <p>ADD \$ 5,800.00</p> <p>ADD \$ 5,695.00</p>
<p>Powder Coating Guidebook w/ Powder Coating Test Procedures and Technical Briefs, Powder Coating System Troubleshooting Guide, Cost Analysis Software.</p>	<p>ADD \$ 137.00</p>
<p>Oven - 2nd set of doors (doors both ends)</p>	<p>ADD \$ 1,195.00</p>
<p>Booth - Add 3rd stage High Efficiency Filter(s) and housing to 2-stage Disposable ASHRAE Filter Booth to recirculate exhaust. Eliminates need for ceiling or wall penetrations.</p> <p>Booth - Front filtered doors</p> <p>Booth - Side man-door</p> <p>Booth - Change from 3-phase to single phase</p> <p>Booth - Crating</p>	<p>ADD \$ 1,211.00</p> <p>ADD \$ 835.00</p> <p>ADD \$ 236.00</p> <p>ADD \$ 211.00</p> <p>Included</p>
<p>Manual Spray System freight (FedEx)</p> <p>Booth lead time - 3 weeks. Booth freight not included</p> <p>Oven lead time - 5 weeks. Oven freight not included</p>	<p>ADD \$ 75.00</p> <p>Not included</p> <p>Not included</p>
<p>Standard terms 50% down with order, balance prior to ship.</p>	<p>TOTAL</p>

Unauthorized service will void manufacturers warranty and is performed at the expense of the purchaser. Prices subject to change without notice. Leads times may vary. All powder system sales final. Manufacturer limited warranty applies. Replacement parts or unit replacement at the discretion of manufacturer. Equipment damaged by shipping is the responsibility of the freight hauler. Documentation of freight damage is the responsibility of the purchaser. Ovens and booths do not carry ETL certification as a unit unless otherwise specified. 15% cancellation fee. Not included: freight, taxes, permitting, regulatory review, inspections, certifications, mechanical or electrical installation, fire suppression or exhaust duct.