




**SECTION 7
Packages**

**Oven, Booth and Gun Batch Package Overview
Call for additional sizes to *MEET YOUR PROCESS NEEDS !***



3-stage Disposable



Gas-fired
or Electric

ITW Gema
Systems



Self-cleaning
Pulse Cartridge

Batch Packages featuring *ITW Gema* Manual Spray Systems *w/ 5 YEAR WARRANTY*

Catalog Page #	KOTEmaster Package	Oven Size (ID)	Fuel Type Max Temp	Booth Size (ID)	Spray System <i>5 year warranty</i>
Pg 34	040604JE	4W-6H-4D	Electric - 500F	6W-7H-7D	<i>ITW Gema Optiflex</i>
Pg 35	040608JE	4W-6H-8D	Electric - 500F	6W-7H-10D	<i>ITW Gema Optiflex</i>
Pg 36	060608JE	6W-6H-8D	Electric - 500F	10W-8H -10D	<i>ITW Gema Optiflex</i>
Pg 37	060608JG	6W-6H-8D	Gas - 500F	10W-8H -10D	<i>ITW Gema Optiflex</i>
Pg 38	060612JG	6W-6H-12D	Gas - 500F	10W-8H -12D	<i>ITW Gema Optiflex</i>
Pg 39	060615RG	6W-6H-15D	Gas - 500F	10W-8H -15D	<i>ITW Gema Optiflex</i>
Pg 40	060616RG	6W-6H-16D	Gas - 500F	10W-8H -16D	<i>ITW Gema Optiflex</i>
Pg 41	060620RG	6W-6H-20D	Gas - 500F	10W-8H-20D	<i>ITW Gema Optiflex</i>
Pg 42	060625RG	6W-6H-25D	Gas - 500F	10W-8H-25D	<i>ITW Gema Optiflex</i>
Pg 43	080810RG	8W-8H-10D	Gas - 500F	10W-8H-10D	<i>ITW Gema Optiflex</i>
Pg 44	080815RG	8W-8H-15D	Gas - 500F	10W-8H-15D	<i>ITW Gema Optiflex</i>
Pg 45	080816RG	8W-8H-16D	Gas - 500F	10W-8H-16D	<i>ITW Gema Optiflex</i>
Pg 46	080820RG	8W-8H-20D	Gas - 500F	10W-8H-20D	<i>ITW Gema Optiflex</i>
Pg 47	080821RG	8W-8H-21D	Gas - 500F	10W-8H-21D	<i>ITW Gema Optiflex</i>
Pg 48	080825RG	8W-8H-25D	Gas - 500F	10W-8H-25D	<i>ITW Gema Optiflex</i>
Pg 49	080826RG	8W-8H-26D	Gas - 500F	10W-8H-26D	<i>ITW Gema Optiflex</i>
Pg 50	080830RG	8W-8H-30D	Gas - 500F	10W-8H-30D	<i>ITW Gema Optiflex</i>

Continued on next page.

Unauthorized service will void manufacturers warranty and is performed at the expense of the purchaser. Prices subject to change without notice. Leads times may vary. All powder system sales final. Manufacturer limited warranty applies. Replacement parts or unit replacement at the discretion of manufacturer. Equipment damaged by shipping is the responsibility of the freight hauler. Documentation of freight damage is the responsibility of the purchaser. Ovens and booths do not carry ETL certification as a unit unless otherwise specified. 15% cancellation fee. Not included: freight, taxes, permitting, regulatory review, inspections, certifications, mechanical or electrical installation, fire suppression or exhaust duct.

**Continued - Oven, Booth and Gun Batch Package Overview****Batch Packages featuring *ITW Gema Manual Spray Systems w/ 5 YEAR WARRANTY***

Catalog Page #	KOTEmaster™ Package	Oven Size (ID)	Fuel Type Max Temp 500F	Booth Size (ID)	Spray System 5 year warranty
Pg 51	100820RG	10W-8H-20D	Gas - 500F	12W-8H-20D	<i>ITW Gema Optiflex</i>
Pg 52	100821RG	10W-8H-21D	Gas - 500F	12W-8H-21D	<i>ITW Gema Optiflex</i>
Pg 53	100825RG	10W-8H-25D	Gas - 500F	12W-8H-25D	<i>ITW Gema Optiflex</i>
Pg 54	100826RG	10W-8H-26D	Gas - 500F	12W-8H-26D	<i>ITW Gema Optiflex</i>
Pg 55	100830RG	10W-8H-30D	Gas - 500F	12W-8H-30D	<i>ITW Gema Optiflex</i>
Pg 56	101020RG	10W-10H-20D	Gas - 500F	12W-10H-20D	<i>ITW Gema Optiflex</i>
Pg 57	101021RG	10W-10H-21D	Gas - 500F	12W-10H-21D	<i>ITW Gema Optiflex</i>
Pg 58	101025RG	10W-10H-25D	Gas - 500F	12W-10H-25D	<i>ITW Gema Optiflex</i>
Pg 59	101026RG	10W-10H-26D	Gas - 500F	12W-10H-26D	<i>ITW Gema Optiflex</i>
Pg 60	101030RG	10W-10H-30D	Gas - 500F	12W-12H-30D	<i>ITW Gema Optiflex</i>
Pg 61	101035RG	10W-10H-35D	Gas - 500F	12W-12H-35D	<i>ITW Gema Optiflex</i>
Pg 62	101040RG	10W-10H-40D	Gas - 500F	12W-12H-40D	<i>ITW Gema Optiflex</i>
Pg 63	101045RG	10W-10H-45D	Gas - 500F	12W-12H-45D	<i>ITW Gema Optiflex</i>
Pg 64	121230RG	12W-12H-30D	Gas - 500F	14W-12H-30D	<i>ITW Gema Optiflex</i>
Pg 65	121235RG	12W-12H-35D	Gas - 500F	14W-12H-35D	<i>ITW Gema Optiflex</i>
Pg 66	121240RG	12W-12H-40D	Gas - 500F	14W-12H-40D	<i>ITW Gema Optiflex</i>
Pg 67	121245RG	12W-12H-45D	Gas - 500F	14W-12H-45D	<i>ITW Gema Optiflex</i>

Gas Ovens: Chose between natural gas (NG) or propane (LPG) at no extra charge.

Gas Ovens: Extra charge applies for rear burner box on ovens 8' wide and larger

Unauthorized service will void manufacturers warranty and is performed at the expense of the purchaser. Prices subject to change without notice. Leads times may vary. All powder system sales final. Manufacturer limited warranty applies. Replacement parts or unit replacement at the discretion of manufacturer. Equipment damaged by shipping is the responsibility of the freight hauler. Documentation of freight damage is the responsibility of the purchaser. Ovens and booths do not carry ETL certification as a unit unless otherwise specified. 15% cancellation fee. Not included: freight, taxes, permitting, regulatory review, inspections, certifications, mechanical or electrical installation, fire suppression or exhaust duct.



QUOTE SUMMARY: Package #040604JE (includes 4w-6h-4d 500F ELECTRIC oven)

<p>Powder Coating Oven - One (1) fully assembled, expandable 4'W x 6'H x 4'D (ID) 500F electric powder coating oven, horizontal airflow circulation system with 15 kW heat delivered by 2,400 cfm circulation with TEFC motor, Class B vent, solid state relay controller, 10-ga. steel floor, single set-point digital temperature controller, shutdown timer, high limit switch, main power switch, fully wired and tested. 208/240V single-phase or 208/240/460V 3-phase.</p> <p>Powder Coating Booth - One (1) unassembled 6'W x 7'H x 7'D (ID) powder booth (non-recovery type) w/ 2-stage ASHRAE disposable exhaust filters, one (1) ceiling 4-tube 24"x48" fluorescent fixture w/ tempered glass. <i>Formed on CNC equipment for CAD precision. Wall panels are CNC pre-punched for easy assembly. 5/16" nut/bolt construction.</i> Tubeaxial fan/motor/drive with non-sparking blade. Hardware/sealants. <i>All in one shipment.</i> 208v/230v/460v/3ph.</p> <p style="text-align: right;">Package #040604JE Price</p>	<p style="text-align: right;">\$ 7,995.00 each</p> <p style="text-align: right;"><u>\$ 3,398.00 each</u> \$ 11,393.00</p>
<p>Manual Spray System - One (1) <i>ITW Gema OptiFlex-C CUP</i> Model</p> <p>Manual Spray System - One (1) <i>ITW Gema OptiFlex-L MINI-HOPPER (3 lb)</i> Model</p> <p>Manual Spray System - One (1) <i>ITW Gema OptiFlex-B BOX FEED Dipstick</i> Model</p> <p>Manual Spray System - One (1) <i>ITW Gema OptiFlex-F HOPPER</i> Model <i>Featuring the Industries BEST 5 YEAR WARRANTY !</i></p>	<p style="text-align: right;">ADD \$ 4,995.00</p> <p style="text-align: right;">ADD \$ 4,995.00</p> <p style="text-align: right;">ADD \$ 5,795.00</p> <p style="text-align: right;">ADD \$ 5,695.00</p>
<p>Powder Coating Guidebook w/ Powder Coating Test Procedures and Technical Briefs, Powder Coating System Troubleshooting Guide, Cost Analysis Software.</p>	<p style="text-align: right;">ADD \$ 137.00</p>
<p>Oven - Upgrade from std. 15 kW heater TO 22.5 kW heater per module.</p> <p>Oven - Upgrade from std. 15 kW heater TO 30 kW heater per module.</p>	<p style="text-align: right;">ADD \$ 595.00</p> <p style="text-align: right;">ADD \$ 695.00</p>
<p>Booth - Add 3rd stage High Efficiency Filter(s) and housing to 2-stage Disposable ASHRAE Filter Booth to recirculate exhaust. Eliminates need for ceiling or wall penetrations.</p> <p>Booth - Front filtered doors</p> <p>Booth - Side man-door</p> <p>Booth - Change from 3-phase to single phase</p> <p>Booth - Crating</p>	<p style="text-align: right;">ADD \$ 795.00</p> <p style="text-align: right;">ADD \$ 835.00</p> <p style="text-align: right;">ADD \$ 236.00</p> <p style="text-align: right;">ADD \$ 212.00</p> <p style="text-align: right;">Included</p>
<p>Manual Spray System freight (FedEx)</p> <p>Booth lead time – 2-3 weeks. Booth freight not included</p> <p>Oven lead time – 2-3 weeks. Oven freight not included</p>	<p style="text-align: right;">ADD \$ 75.00</p> <p style="text-align: right;">Not included</p> <p style="text-align: right;">Not included</p>
<p>Standard terms 50% down with order, balance prior to ship.</p>	<p style="text-align: right;">TOTAL</p>

Unauthorized service will void manufacturers warranty and is performed at the expense of the purchaser. Prices subject to change without notice. Leads times may vary. All powder system sales final. Manufacturer limited warranty applies. Replacement parts or unit replacement at the discretion of manufacturer. Equipment damaged by shipping is the responsibility of the freight hauler. Documentation of freight damage is the responsibility of the purchaser. Ovens and booths do not carry ETL certification as a unit unless otherwise specified. 15% cancellation fee. Not included: freight, taxes, permitting, regulatory review, inspections, certifications, mechanical or electrical installation, fire suppression or exhaust duct.



QUOTE SUMMARY: Package #040608JE (includes 4w-6h-8d 500F ELECTRIC oven)

<p>Powder Coating Oven - One (1) 2-piece, expandable 4'W x 6'H x 8'D (ID) 500F electric walk-in oven, horizontal airflow circulation system with 30 kW TOTAL (QTY (2) 15 kW heaters) delivered by 4,800 cfm circulation with TEFC motor, adjustable Class B vent, solid state relay controller, 10-ga. steel floor, single set-point digital temperature controller, shutdown timer, high limit switch, main power switch, fully wired and tested. 208/240V single-phase or 208/240/460V 3-phase.</p> <p>Powder Coating Booth - One unassembled (1) 6'W x 7'H x 10'D (ID) powder booth (non-recovery type) w/ 2-stage ASHRAE disposable exhaust filters, one (1) ceiling 4-tube 24"x48" fluorescent fixtures w/ tempered glass. Formed on CNC equipment for CAD precision. Wall panels are CNC pre-punched for easy assembly. 5/16th nut/bolt construction. Tubeaxial fan/motor/drive with non-sparking blade. Hardware/sealants. All in one shipment. 208v/230v/460v/3ph.</p> <p style="text-align: right;">Package #040608JE Price</p>	<p style="text-align: right;">\$ 12,995.00 each</p> <p style="text-align: right;">\$ 3,931.00 each</p> <p style="text-align: right;">\$ 16,926.00</p>
<p>Manual Spray System - One (1) ITW Gema OptiFlex-C CUP Model</p> <p>Manual Spray System - One (1) ITW Gema OptiFlex-L MINI-HOPPER (3 lb) Model</p> <p>Manual Spray System - One (1) ITW Gema OptiFlex-B BOX FEED Dipstick Model</p> <p>Manual Spray System - One (1) ITW Gema OptiFlex-F HOPPER Model</p> <p style="text-align: center;"><i>Featuring the Industries BEST 5 YEAR WARRANTY!</i></p>	<p style="text-align: right;">ADD \$ 4,995.00</p> <p style="text-align: right;">ADD \$ 4,995.00</p> <p style="text-align: right;">ADD \$ 5,795.00</p> <p style="text-align: right;">ADD \$ 5,695.00</p>
<p>Powder Coating Guidebook w/ Powder Coating Test Procedures and Technical Briefs, Powder Coating System Troubleshooting Guide, Cost Analysis Software.</p>	<p style="text-align: right;">ADD \$ 137.00</p>
<p>Oven - Upgrade from std. 30 kW TOTAL TO 45 kW TOTAL</p> <p>Oven - Upgrade from std. 30 kW TOTAL TO 60 kW TOTAL</p>	<p style="text-align: right;">ADD \$ 1,190.00</p> <p style="text-align: right;">ADD \$ 1,390.00</p>
<p>Booth - Add 3rd stage High Efficiency Filter(s) and housing to 2-stage Disposable ASHRAE Filter Booth to recirculate exhaust. Eliminates need for ceiling or wall penetrations.</p> <p>Booth - Front filtered doors</p> <p>Booth - Side man-door</p> <p>Booth - Change from 3-phase to single phase</p> <p>Booth - Crating</p>	<p style="text-align: right;">ADD \$ 795.00</p> <p style="text-align: right;">ADD \$ 835.00</p> <p style="text-align: right;">ADD \$ 236.00</p> <p style="text-align: right;">ADD \$ 211.00</p> <p style="text-align: right;">Included</p>
<p>Manual Spray System freight (FedEx)</p> <p>Booth lead time – 2-3 weeks. Booth freight not included</p> <p>Oven lead time – 2-3 weeks. Oven freight not included</p>	<p style="text-align: right;">ADD \$ 75.00</p> <p style="text-align: right;">Not included</p> <p style="text-align: right;">Not included</p>
<p>Standard terms 50% down with order, balance prior to ship.</p>	<p style="text-align: right;">TOTAL</p>

Unauthorized service will void manufacturers warranty and is performed at the expense of the purchaser. Prices subject to change without notice. Leads times may vary. All powder system sales final. Manufacturer limited warranty applies. Replacement parts or unit replacement at the discretion of manufacturer. Equipment damaged by shipping is the responsibility of the freight hauler. Documentation of freight damage is the responsibility of the purchaser. Ovens and booths do not carry ETL certification as a unit unless otherwise specified. 15% cancellation fee. Not included: freight, taxes, permitting, regulatory review, inspections, certifications, mechanical or electrical installation, fire suppression or exhaust duct.



QUOTE SUMMARY: Package #060608JE (includes 6w-6h-8d 450F ELECTRIC oven)

<p>Powder Coating Oven - One (1) 2-piece 6'W x 6'H x 8'D (ID) 500F electric walk-in oven, horizontal airflow system, 40 kW TOTAL QTY (2) 20 kW heaters) delivered by 4,800 cfm circulation with TEFC motor, adjustable Class B vent, solid state relay controller, 10-ga. steel floor, single set-point digital temperature controller, shutdown timer, high limit switch, main power switch, fully wired and tested. 208/240V single-phase or 208/240/460V 3-phase.</p> <p>Powder Coating Booth - One unassembled (1) 10'W x 8'H x 10'D (ID) powder booth (non-recovery type) w/ 2-stage ASHRAE disposable exhaust filters, two (2) ceiling and two (2) side-wall 4-tube 24"x48" fluorescent fixtures w/ tempered glass. Formed on CNC equipment for CAD precision. Wall panels are CNC pre-punched for easy assembly. 5/16th nut/bolt construction. Tubeaxial fan/motor/drive with non-sparking blade. Hardware/sealants. All in one shipment. 208v/230v/460v/3ph.</p> <p style="text-align: right;">Package #060608JE Price</p>	<p style="text-align: right;">\$ 17,450.00 each</p> <p style="text-align: right;">\$ 5,640.00 each</p> <p style="text-align: right;">\$ 23,090.00</p>
<p>Manual Spray System - One (1) ITW Gema OptiFlex-C CUP Model</p> <p>Manual Spray System - One (1) ITW Gema OptiFlex-L MINI-HOPPER (3 lb) Model</p> <p>Manual Spray System - One (1) ITW Gema OptiFlex-B BOX FEED Dipstick Model</p> <p>Manual Spray System - One (1) ITW Gema OptiFlex-F HOPPER Model</p> <p style="text-align: center;"><i>Featuring the Industries BEST 5 YEAR WARRANTY!</i></p>	<p style="text-align: right;">ADD \$ 4,995.00</p> <p style="text-align: right;">ADD \$ 4,995.00</p> <p style="text-align: right;">ADD \$ 5,795.00</p> <p style="text-align: right;">ADD \$ 5,695.00</p>
<p>Powder Coating Guidebook w/ Powder Coating Test Procedures and Technical Briefs, Powder Coating System Troubleshooting Guide, Cost Analysis Software.</p>	<p style="text-align: right;">ADD \$ 137.00</p>
<p>Booth - Add 3rd stage High Efficiency Filter(s) and housing to 2-stage Disposable ASHRAE Filter Booth to recirculate exhaust. Eliminates need for ceiling or wall penetrations.</p> <p>Booth - Front filtered doors</p> <p>Booth - Side man-door</p> <p>Booth - Change from 3-phase to single phase</p> <p>Booth - Crating</p>	<p style="text-align: right;">ADD \$ 1,211.00</p> <p style="text-align: right;">ADD \$ 835.00</p> <p style="text-align: right;">ADD \$ 236.00</p> <p style="text-align: right;">ADD \$ 211.00</p> <p style="text-align: right;">Included</p>
<p>Manual Spray System freight (FedEx)</p> <p>Booth lead time - 3 weeks. Booth freight not included</p> <p>Oven lead time - 5 weeks. Oven freight not included</p>	<p style="text-align: right;">ADD \$ 75.00</p> <p style="text-align: right;">Not included</p> <p style="text-align: right;">Not included</p>
<p>Standard terms 50% down with order, balance prior to ship.</p>	<p style="text-align: right;">TOTAL</p>

Unauthorized service will void manufacturers warranty and is performed at the expense of the purchaser. Prices subject to change without notice. Leads times may vary. All powder system sales final. Manufacturer limited warranty applies. Replacement parts or unit replacement at the discretion of manufacturer. Equipment damaged by shipping is the responsibility of the freight hauler. Documentation of freight damage is the responsibility of the purchaser. Ovens and booths do not carry ETL certification as a unit unless otherwise specified. 15% cancellation fee. Not included: freight, taxes, permitting, regulatory review, inspections, certifications, mechanical or electrical installation, fire suppression or exhaust duct.



QUOTE SUMMARY: Package #060608JG (includes 6w-6h-8d 500F GAS oven)

<p>Powder Coating Oven - One (1) 3-piece modular 6'W x 6'H x 8'D (ID) walk-in natural gas or propane fired powder coating oven, <i>easy 3-piece modular assembly</i>, double doors one end, rear mounted burner, <i>pre-wired control panel w/ digital controls and shut-down timer, pre-assembled, pre-piped, pre-wired burner box and gas train</i> w/ Powerflame burner, flame safety and control valves. 460/230/208/60/3/1.</p> <p>Powder Coating Booth - One unassembled (1) 10'W x 8'H x 10'D (ID) powder booth (non-recovery type) w/ 2-stage ASHRAE disposable exhaust filters, two (2) ceiling and two (2) side-wall 4-tube 24"x48" fluorescent fixtures w/ tempered glass. <i>Formed on CNC equipment for CAD precision. Wall panels are CNC pre-punched for easy assembly. 5/16th nut/bolt construction.</i> Tubeaxial fan/motor/drive with non-sparking blade. Hardware/sealants. <i>All in one shipment.</i> 208v/230v/460v/3ph.</p> <p style="text-align: right;">Package #060608JG Price</p>	<p style="text-align: right;">\$ 15,950.00 each</p> <p style="text-align: right;"><u>\$ 5,640.00 each</u></p> <p style="text-align: right;">\$ 21,590.00</p>
<p>Manual Spray System - One (1) <i>ITW Gema OptiFlex-C CUP</i> Model</p> <p>Manual Spray System - One (1) <i>ITW Gema OptiFlex-L MINI-HOPPER (3 lb)</i> Model</p> <p>Manual Spray System - One (1) <i>ITW Gema OptiFlex-B BOX FEED Dipstick</i> Model</p> <p>Manual Spray System - One (1) <i>ITW Gema OptiFlex-F HOPPER</i> Model</p> <p style="text-align: center;"><i>Featuring the Industries BEST 5 YEAR WARRANTY !</i></p>	<p style="text-align: right;">ADD \$ 4,995.00</p> <p style="text-align: right;">ADD \$ 4,995.00</p> <p style="text-align: right;">ADD \$ 5,795.00</p> <p style="text-align: right;">ADD \$ 5,695.00</p>
<p>Powder Coating Guidebook w/ Powder Coating Test Procedures and Technical Briefs, Powder Coating System Troubleshooting Guide, Cost Analysis Software.</p>	<p style="text-align: right;">ADD \$ 137.00</p>
<p>Oven - 2nd set of doors (doors both ends)</p>	<p style="text-align: right;">ADD \$ 1,195.00</p>
<p>Booth - Add 3rd stage High Efficiency Filter(s) and housing to 2-stage Disposable ASHRAE Filter Booth to recirculate exhaust. Eliminates need for ceiling or wall penetrations.</p> <p>Booth - Front filtered doors</p> <p>Booth - Side man-door</p> <p>Booth - Change from 3-phase to single phase</p> <p>Booth - Crating</p>	<p style="text-align: right;">ADD \$ 1,211.00</p> <p style="text-align: right;">ADD \$ 835.00</p> <p style="text-align: right;">ADD \$ 236.00</p> <p style="text-align: right;">ADD \$ 211.00</p> <p style="text-align: right;">Included</p>
<p>Manual Spray System freight (FedEx)</p> <p>Booth lead time - 3 weeks. Booth freight not included</p> <p>Oven lead time - 5 weeks. Oven freight not included</p>	<p style="text-align: right;">ADD \$ 75.00</p> <p style="text-align: right;">Not included</p> <p style="text-align: right;">Not included</p>
<p>Standard terms 50% down with order, balance prior to ship.</p>	<p style="text-align: right;">TOTAL</p>

Unauthorized service will void manufacturers warranty and is performed at the expense of the purchaser. Prices subject to change without notice. Leads times may vary. All powder system sales final. Manufacturer limited warranty applies. Replacement parts or unit replacement at the discretion of manufacturer. Equipment damaged by shipping is the responsibility of the freight hauler. Documentation of freight damage is the responsibility of the purchaser. Ovens and booths do not carry ETL certification as a unit unless otherwise specified. 15% cancellation fee. Not included: freight, taxes, permitting, regulatory review, inspections, certifications, mechanical or electrical installation, fire suppression or exhaust duct.



QUOTE SUMMARY: Package #060612JG (includes 6w-6h-12d 500F GAS oven)

<p>Powder Coating Oven - One (1) 4-piece modular 6'W x 6'H x 12'D (ID) walk-in natural gas or propane fired powder coating oven, <i>easy 4-piece modular assembly</i>, double doors one end, rear mounted burner, <i>pre-wired control panel w/ digital controls and shut-down timer, pre-assembled, pre-piped, pre-wired burner box and gas train</i> w/ Powerflame burner, flame safety and control valves. 460/230/208/60/3/1.</p> <p>Powder Coating Booth - One unassembled (1) 10'W x 8'H x 12'D (ID) powder booth (non-recovery type) w/ 2-stage ASHRAE disposable exhaust filters, two (2) ceiling and two (2) side-wall 4-tube 24"x48" fluorescent fixtures w/ tempered glass. <i>Formed on CNC equipment for CAD precision. Wall panels are CNC pre-punched for easy assembly. 5/16th nut/bolt construction.</i> Tubeaxial fan/motor/drive with non-sparking blade. Hardware/sealants. <i>All in one shipment.</i> 208v/230v/460v/3ph.</p> <p style="text-align: right;">Package #060612JG Price</p>	<p style="text-align: right;">\$ 17,950.00 each</p> <p style="text-align: right;">\$ 5,940.00 each</p> <p style="text-align: right;">\$ 23,890.00</p>
<p>Manual Spray System - One (1) <i>ITW Gema OptiFlex-L MINI-HOPPER (3 lb) Model</i></p> <p>Manual Spray System - One (1) <i>ITW Gema OptiFlex-B BOX FEED Dipstick Model</i></p> <p>Manual Spray System - One (1) <i>ITW Gema OptiFlex-F HOPPER Model</i></p> <p style="text-align: center;"><i>Featuring the Industries BEST 5 YEAR WARRANTY !</i></p>	<p style="text-align: right;">ADD \$ 4,995.00</p> <p style="text-align: right;">ADD \$ 5,795.00</p> <p style="text-align: right;">ADD \$ 5,695.00</p>
<p>Powder Coating Guidebook w/ Powder Coating Test Procedures and Technical Briefs, Powder Coating System Troubleshooting Guide, Cost Analysis Software.</p>	<p style="text-align: right;">ADD \$ 137.00</p>
<p>Oven - 2nd set of doors (doors both ends)</p>	<p style="text-align: right;">ADD \$ 1,195.00</p>
<p>Booth - Add 3rd stage High Efficiency Filter(s) and housing to 2-stage Disposable ASHRAE Filter Booth to recirculate exhaust. Eliminates need for ceiling or wall penetrations.</p> <p>Booth - Front filtered doors</p> <p>Booth - Side man-door</p> <p>Booth - Change from 3-phase to single phase</p> <p>Booth - Crating</p>	<p style="text-align: right;">ADD \$ 1,211.00</p> <p style="text-align: right;">ADD \$ 835.00</p> <p style="text-align: right;">ADD \$ 236.00</p> <p style="text-align: right;">ADD \$ 211.00</p> <p style="text-align: right;">Included</p>
<p>Manual Spray System freight (FedEx)</p> <p>Booth lead time - 3 weeks. Booth freight not included</p> <p>Oven lead time - 5 weeks. Oven freight not included</p>	<p style="text-align: right;">ADD \$ 75.00</p> <p style="text-align: right;">Not included</p> <p style="text-align: right;">Not included</p>
<p>Standard terms 50% down with order, balance prior to ship.</p>	<p style="text-align: right;">TOTAL</p>

Unauthorized service will void manufacturers warranty and is performed at the expense of the purchaser. Prices subject to change without notice. Leads times may vary. All powder system sales final. Manufacturer limited warranty applies. Replacement parts or unit replacement at the discretion of manufacturer. Equipment damaged by shipping is the responsibility of the freight hauler. Documentation of freight damage is the responsibility of the purchaser. Ovens and booths do not carry ETL certification as a unit unless otherwise specified. 15% cancellation fee. Not included: freight, taxes, permitting, regulatory review, inspections, certifications, mechanical or electrical installation, fire suppression or exhaust duct.



QUOTE SUMMARY: Package #060615RG (includes 6w-6h-15d 500F GAS oven)

<p>Powder Coating Oven - One (1) unassembled 6'W x 6'H x 15'D (ID) walk-in natural gas or propane fired powder coating oven, 6" thick walls w/slot-tab assembly, double doors one end, top mounted burner, pre-wired control panel w/ digital controls, pre-assembled, pre-piped, pre-wired burner box and gas train w/ Maxon burner and Honeywell flame safety and control valves. 2 year parts warranty. 460/60/3.</p> <p>Powder Coating Booth - One unassembled (1) 10'W x 8'H x 15'D (ID) powder booth (non-recovery type) w/ 2-stage ASHRAE disposable exhaust filters, four (4) ceiling and two (2) side-wall 4-tube 24"x48" fluorescent fixtures w/ tempered glass. Formed on CNC equipment for CAD precision. Wall panels are CNC pre-punched for easy assembly. 5/16th nut/bolt construction. Tubeaxial fan/motor/drive with non-sparking blade. Hardware/sealants. All in one shipment. 208v/230v/460v/3ph.</p> <p style="text-align: right;">Package #060615RG Price</p>	<p>\$ 28,759.00</p>
<p>Manual Spray System - One (1) ITW Gema OptiFlex-L MINI-HOPPER (3 lb) Model Manual Spray System - One (1) ITW Gema OptiFlex-B BOX FEED Dipstick Model Manual Spray System - One (1) ITW Gema OptiFlex-F HOPPER Model <i>Featuring the Industries BEST 5 YEAR WARRANTY !</i></p>	<p>ADD \$ 4,995.00 ADD \$ 5,795.00 ADD \$ 5,695.00</p>
<p>Powder Coating Guidebook w/ Powder Coating Test Procedures and Technical Briefs, Powder Coating System Troubleshooting Guide, Cost Analysis Software.</p>	<p>ADD \$ 137.00</p>
<p>Oven - 3 phase 208V or 230V Oven - Batch timer to idle burner and fan, with alarm horn Oven - Door switch to idle burner and fan Oven - 2nd set of doors (doors both ends) Oven - Rear or side burner box</p>	<p>ADD \$ 100.00 Included ADD \$ 325.00 ADD \$ 2,597.00 ADD \$ 1,097.00</p>
<p>Booth - Add 3rd stage High Efficiency Filter(s) and housing to 2-stage Disposable ASHRAE Filter Booth to recirculate exhaust. Eliminates need for ceiling or wall penetrations. Booth - Front filtered doors Booth - Side man-door Booth - Change from 3-phase to single phase Booth - Crating</p>	<p>ADD \$ 1,211.00 ADD \$ 835.00 ADD \$ 236.00 ADD \$ 211.00 Included</p>
<p>Manual Spray System freight (FedEx) Booth lead time - 3 weeks. Booth freight not included Oven lead time - 5 weeks. Oven freight not included</p>	<p>ADD \$ 75.00 Not included Not included</p>
<p>Standard terms 50% down with order, balance prior to ship.</p>	<p>TOTAL</p>

Unauthorized service will void manufacturers warranty and is performed at the expense of the purchaser. Prices subject to change without notice. Leads times may vary. All powder system sales final. Manufacturer limited warranty applies. Replacement parts or unit replacement at the discretion of manufacturer. Equipment damaged by shipping is the responsibility of the freight hauler. Documentation of freight damage is the responsibility of the purchaser. Ovens and booths do not carry ETL certification as a unit unless otherwise specified. 15% cancellation fee. Not included: freight, taxes, permitting, regulatory review, inspections, certifications, mechanical or electrical installation, fire suppression or exhaust duct.



QUOTE SUMMARY: Package #060616RG (includes 6w-6h-16d 500F GAS oven)

<p>Powder Coating Oven - One (1) unassembled 6'W x 6'H x 16'D (ID) walk-in natural gas or propane fired powder coating oven, 6" thick walls w/slot-tab assembly, double doors one end, top mounted burner, pre-wired control panel w/ digital controls, pre-assembled, pre-piped, pre-wired burner box and gas train w/ Maxon burner and Honeywell flame safety and control valves. 2 year parts warranty. 460/60/3.</p> <p>Powder Coating Booth - One unassembled (1) 10'W x 8'H x 16'D (ID) powder booth (non-recovery type) w/ 2-stage ASHRAE disposable exhaust filters, four (4) ceiling and two (2) side-wall 4-tube 24"x48" fluorescent fixtures w/ tempered glass. Formed on CNC equipment for CAD precision. Wall panels are CNC pre-punched for easy assembly. 5/16th nut/bolt construction. Tubeaxial fan/motor/drive with non-sparking blade. Hardware/sealants. All in one shipment. 208v/230v/460v/3ph.</p> <p style="text-align: right;">Package #060616RG Price</p>	<p>\$ 29,673.00</p>
<p>Manual Spray System - One (1) ITW Gema OptiFlex-F Fluidizer Hopper Model*</p> <p>Manual Spray System - One (1) ITW Gema OptiFlex-B Box Feed Dipstick Model*</p> <p style="text-align: center;"><i>Featuring the Industries BEST 5 YEAR WARRANTY !</i></p>	<p>ADD \$ 5,695.00</p> <p>ADD \$ 5,795.00</p>
<p>Powder Coating Guidebook w/ Powder Coating Test Procedures and Technical Briefs, Powder Coating System Troubleshooting Guide, Cost Analysis Software.</p>	<p>ADD \$ 137.00</p>
<p>Oven - 3 phase 208V or 230V</p> <p>Oven - Batch timer to idle burner and fan, with alarm horn</p> <p>Oven - Door switch to idle burner and fan</p> <p>Oven - 2nd set of doors (doors both ends)</p> <p>Oven - Rear or side burner box</p>	<p>ADD \$ 100.00</p> <p>Included</p> <p>ADD \$ 325.00</p> <p>ADD \$ 2,597.00</p> <p>ADD \$ 1,097.00</p>
<p>Booth - Add 3rd stage High Efficiency Filter(s) and housing to 2-stage Disposable ASHRAE Filter Booth to recirculate exhaust. Eliminates need for ceiling or wall penetrations.</p> <p>Booth - Front filtered doors</p> <p>Booth - Side man-door</p> <p>Booth - Change from 3-phase to single phase</p> <p>Booth - Crating</p>	<p>ADD \$ 1,211.00</p> <p>ADD \$ 835.00</p> <p>ADD \$ 236.00</p> <p>ADD \$ 211.00</p> <p>Included</p>
<p>Manual Spray System freight (FedEx)</p> <p>Booth lead time - 3 weeks. Booth freight not included</p> <p>Oven lead time - 5 weeks. Oven freight not included</p>	<p>ADD \$ 75.00</p> <p>Not included</p> <p>Not included</p>
<p>Standard terms 50% down with order, balance prior to ship.</p>	<p>TOTAL</p>

Unauthorized service will void manufacturers warranty and is performed at the expense of the purchaser. Prices subject to change without notice. Leads times may vary. All powder system sales final. Manufacturer limited warranty applies. Replacement parts or unit replacement at the discretion of manufacturer. Equipment damaged by shipping is the responsibility of the freight hauler. Documentation of freight damage is the responsibility of the purchaser. Ovens and booths do not carry ETL certification as a unit unless otherwise specified. 15% cancellation fee. Not included: freight, taxes, permitting, regulatory review, inspections, certifications, mechanical or electrical installation, fire suppression or exhaust duct.



QUOTE SUMMARY: Package #060620RG (includes 6w-6h-20d 500F GAS oven)

<p>Powder Coating Oven - One (1) unassembled 6'W x 6'H x 20'D (ID) walk-in natural gas or propane fired powder coating oven, 6" thick walls w/slot-tab assembly, double doors one end, top mounted burner, pre-wired control panel w/ digital controls, pre-assembled, pre-piped, pre-wired burner box and gas train w/ Maxon burner and Honeywell flame safety and control valves. 2 year parts warranty. 460/60/3.</p> <p>Powder Coating Booth - One unassembled (1) 10'W x 8'H x 20'D (ID) powder booth (non-recovery type) w/ 2-stage ASHRAE disposable exhaust filters, four (4) ceiling and four (4) side-wall 4-tube 24"x48" fluorescent fixtures w/ tempered glass. Formed on CNC equipment for CAD precision. Wall panels are CNC pre-punched for easy assembly. 5/16th nut/bolt construction. Tubeaxial fan/motor/drive with non-sparking blade. Hardware/sealants. All in one shipment. 208v/230v/460v/3ph.</p> <p style="text-align: right;">Package #060620RG Price</p>	<p>\$ 31,964.00</p>
<p>Manual Spray System - One (1) ITW Gema OptiFlex-F Fluidizer Hopper Model*</p> <p>Manual Spray System - One (1) ITW Gema OptiFlex-B Box Feed Dipstick Model*</p> <p style="text-align: center;"><i>Featuring the Industries BEST 5 YEAR WARRANTY !</i></p>	<p>ADD \$ 5,695.00</p> <p>ADD \$ 5,795.00</p>
<p>Powder Coating Guidebook w/ Powder Coating Test Procedures and Technical Briefs, Powder Coating System Troubleshooting Guide, Cost Analysis Software.</p>	<p>ADD \$ 137.00</p>
<p>Oven - 3 phase 208V or 230V</p> <p>Oven - Batch timer to idle burner and fan, with alarm horn</p> <p>Oven - Door switch to idle burner and fan</p> <p>Oven - 2nd set of doors (doors both ends)</p> <p>Oven - Rear or side burner box</p>	<p>ADD \$ 100.00</p> <p>Included</p> <p>ADD \$ 325.00</p> <p>ADD \$ 2,596.00</p> <p>ADD \$ 1,141.00</p>
<p>Booth - Add 3rd stage High Efficiency Filter(s) and housing to 2-stage Disposable ASHRAE Filter Booth to recirculate exhaust. Eliminates need for ceiling or wall penetrations.</p> <p>Booth - Front filtered doors</p> <p>Booth - Side man-door</p> <p>Booth - Change from 3-phase to single phase</p> <p>Booth - Crating</p>	<p>ADD \$ 1,211.00</p> <p>ADD \$ 835.00</p> <p>ADD \$ 236.00</p> <p>ADD \$ 211.00</p> <p>Included</p>
<p>Manual Spray System freight (FedEx)</p> <p>Booth lead time - 3 weeks. Booth freight not included</p> <p>Oven lead time - 5 weeks. Oven freight not included</p>	<p>ADD \$ 75.00</p> <p>Not included</p> <p>Not included</p>
<p>Standard terms 50% down with order, balance prior to ship.</p>	<p>TOTAL</p>

Unauthorized service will void manufacturers warranty and is performed at the expense of the purchaser. Prices subject to change without notice. Leads times may vary. All powder system sales final. Manufacturer limited warranty applies. Replacement parts or unit replacement at the discretion of manufacturer. Equipment damaged by shipping is the responsibility of the freight hauler. Documentation of freight damage is the responsibility of the purchaser. Ovens and booths do not carry ETL certification as a unit unless otherwise specified. 15% cancellation fee. Not included: freight, taxes, permitting, regulatory review, inspections, certifications, mechanical or electrical installation, fire suppression or exhaust duct.



QUOTE SUMMARY: Package #060625RG (includes 6w-6h-25d 500F GAS oven)

<p>Powder Coating Oven - One (1) unassembled 6'W x 6'H x 25'D (ID) walk-in natural gas or propane fired powder coating oven, 6" thick walls w/slot-tab assembly, double doors one end, top mounted burner, pre-wired control panel w/ digital controls, pre-assembled, pre-piped, pre-wired burner box and gas train w/ Maxon burner and Honeywell flame safety and control valves. 2 year parts warranty. 460/60/3.</p> <p>Powder Coating Booth - One unassembled (1) 10'W x 8'H x 25'D (ID) powder booth (non-recovery type) w/ 2-stage ASHRAE disposable exhaust filters, six (6) ceiling and four (4) side-wall 4-tube 24"x48" fluorescent fixtures w/ tempered glass. Formed on CNC equipment for CAD precision. Wall panels are CNC pre-punched for easy assembly. 5/16th nut/bolt construction. Tubeaxial fan/motor/drive with non-sparking blade. Hardware/sealants. All in one shipment. 208v/230v/460v/3ph.</p> <p style="text-align: right;">Package #060625RG Price</p>	<p>\$ 34,829.00</p>
<p>Manual Spray System - One (1) ITW Gema OptiFlex-F Fluidizer Hopper Model*</p> <p>Manual Spray System - One (1) ITW Gema OptiFlex-B Box Feed Dipstick Model*</p> <p style="text-align: center;"><i>Featuring the Industries BEST 5 YEAR WARRANTY !</i></p>	<p>ADD \$ 5,695.00</p> <p>ADD \$ 5,795.00</p>
<p>Powder Coating Guidebook w/ Powder Coating Test Procedures and Technical Briefs, Powder Coating System Troubleshooting Guide, Cost Analysis Software.</p>	<p>ADD \$ 137.00</p>
<p>Oven - 3 phase 208V or 230V</p> <p>Oven - Batch timer to idle burner and fan, with alarm horn</p> <p>Oven - Door switch to idle burner and fan</p> <p>Oven - 2nd set of doors (doors both ends)</p> <p>Oven - Rear or side burner box</p>	<p>ADD \$ 100.00</p> <p>Included</p> <p>ADD \$ 325.00</p> <p>ADD \$ 2,596.00</p> <p>ADD \$ 1,172.00</p>
<p>Booth - Add 3rd stage High Efficiency Filter(s) and housing to 2-stage Disposable ASHRAE Filter Booth to recirculate exhaust. Eliminates need for ceiling or wall penetrations.</p> <p>Booth - Front filtered doors</p> <p>Booth - Side man-door</p> <p>Booth - Change from 3-phase to single phase</p> <p>Booth - Crating</p>	<p>ADD \$ 1,211.00</p> <p>ADD \$ 835.00</p> <p>ADD \$ 236.00</p> <p>ADD \$ 211.00</p> <p>Included</p>
<p>Manual Spray System freight (FedEx)</p> <p>Booth lead time - 3 weeks. Booth freight not included</p> <p>Oven lead time - 5 weeks. Oven freight not included</p>	<p>ADD \$ 75.00</p> <p>Not included</p> <p>Not included</p>
<p>Standard terms 50% down with order, balance prior to ship.</p>	<p>TOTAL</p>

Unauthorized service will void manufacturers warranty and is performed at the expense of the purchaser. Prices subject to change without notice. Leads times may vary. All powder system sales final. Manufacturer limited warranty applies. Replacement parts or unit replacement at the discretion of manufacturer. Equipment damaged by shipping is the responsibility of the freight hauler. Documentation of freight damage is the responsibility of the purchaser. Ovens and booths do not carry ETL certification as a unit unless otherwise specified. 15% cancellation fee. Not included: freight, taxes, permitting, regulatory review, inspections, certifications, mechanical or electrical installation, fire suppression or exhaust duct.



QUOTE SUMMARY: Package #080810RG (includes 8w-8h-10d 500F GAS oven)

<p>Powder Coating Oven - One (1) unassembled 8'W x 8'H x 10'D (ID) walk-in natural gas or propane fired powder coating oven, 6" thick walls w/slot-tab assembly, double doors one end, top mounted burner, pre-wired control panel w/ digital controls, pre-assembled, pre-piped, pre-wired burner box and gas train w/ Maxon burner and Honeywell flame safety and control valves. 2 year parts warranty. 460/60/3.</p> <p>Powder Coating Booth - One unassembled (1) 10'W x 8'H x 10'D (ID) powder booth (non-recovery type) w/ 2-stage ASHRAE disposable exhaust filters, two (2) ceiling and two (2) side-wall 4-tube 24"x48" fluorescent fixtures w/ tempered glass. Formed on CNC equipment for CAD precision. Wall panels are CNC pre-punched for easy assembly. 5/16th nut/bolt construction. Tubeaxial fan/motor/drive with non-sparking blade. Hardware/sealants. All in one shipment. 208v/230v/460v/3ph.</p> <p style="text-align: right;">Package #080810RG Price</p>	<p>\$ 27,393.00</p>
<p>Manual Spray System - One (1) ITW Gema OptiFlex-F Fluidizer Hopper Model*</p> <p>Manual Spray System - One (1) ITW Gema OptiFlex-B Box Feed Dipstick Model*</p> <p style="text-align: center;"><i>Featuring the Industries BEST 5 YEAR WARRANTY !</i></p>	<p>ADD \$ 5,695.00</p> <p>ADD \$ 5,795.00</p>
<p>Powder Coating Guidebook w/ Powder Coating Test Procedures and Technical Briefs, Powder Coating System Troubleshooting Guide, Cost Analysis Software.</p>	<p>ADD \$ 137.00</p>
<p>Oven - 3 phase 208V or 230V</p> <p>Oven - Batch timer to idle burner and fan, with alarm horn</p> <p>Oven - Door switch to idle burner and fan</p> <p>Oven - 2nd set of doors (doors both ends)</p> <p>Oven - Rear or side burner box</p>	<p>ADD \$ 100.00</p> <p>Included</p> <p>ADD \$ 325.00</p> <p>ADD \$ 2,826.00</p> <p>ADD \$ 1,137.00</p>
<p>Booth - Add 3rd stage High Efficiency Filter(s) and housing to 2-stage Disposable ASHRAE Filter Booth to recirculate exhaust. Eliminates need for ceiling or wall penetrations.</p> <p>Booth - Front filtered doors</p> <p>Booth - Side man-door</p> <p>Booth - Change from 3-phase to single phase</p> <p>Booth - Crating</p>	<p>ADD \$ 1,211.00</p> <p>ADD \$ 835.00</p> <p>ADD \$ 236.00</p> <p>ADD \$ 211.00</p> <p>Included</p>
<p>Manual Spray System freight (FedEx)</p> <p>Booth lead time - 3 weeks. Booth freight not included</p> <p>Oven lead time - 5 weeks. Oven freight not included</p>	<p>ADD \$ 75.00</p> <p>Not included</p> <p>Not included</p>
<p>Standard terms 50% down with order, balance prior to ship.</p>	<p>TOTAL</p>

Unauthorized service will void manufacturers warranty and is performed at the expense of the purchaser. Prices subject to change without notice. Leads times may vary. All powder system sales final. Manufacturer limited warranty applies. Replacement parts or unit replacement at the discretion of manufacturer. Equipment damaged by shipping is the responsibility of the freight hauler. Documentation of freight damage is the responsibility of the purchaser. Ovens and booths do not carry ETL certification as a unit unless otherwise specified. 15% cancellation fee. Not included: freight, taxes, permitting, regulatory review, inspections, certifications, mechanical or electrical installation, fire suppression or exhaust duct.



QUOTE SUMMARY: Package #080815RG (includes 8w-8h-15d 500F GAS oven)

<p>Powder Coating Oven - One (1) unassembled 8'W x 8'H x 15'D (ID) walk-in natural gas or propane fired powder coating oven, 6" thick walls w/slot-tab assembly, double doors one end, top mounted burner, pre-wired control panel w/ digital controls, pre-assembled, pre-piped, pre-wired burner box and gas train w/ Maxon burner and Honeywell flame safety and control valves. 2 year parts warranty. 460/60/3.</p> <p>Powder Coating Booth - One unassembled (1) 10'W x 8'H x 15'D (ID) powder booth (non-recovery type) w/ 2-stage ASHRAE disposable exhaust filters, four (4) ceiling and two (2) side-wall 4-tube 24"x48" fluorescent fixtures w/ tempered glass. Formed on CNC equipment for CAD precision. Wall panels are CNC pre-punched for easy assembly. 5/16th nut/bolt construction. Tubeaxial fan/motor/drive with non-sparking blade. Hardware/sealants. All in one shipment. 208v/230v/460v/3ph.</p> <p style="text-align: right;">Package #080815RG Price</p>	<p>\$ 30,621.00</p>
<p>Manual Spray System - One (1) ITW Gema OptiFlex-F Fluidizer Hopper Model*</p> <p>Manual Spray System - One (1) ITW Gema OptiFlex-B Box Feed Dipstick Model*</p> <p style="text-align: center;"><i>Featuring the Industries BEST 5 YEAR WARRANTY !</i></p>	<p>ADD \$ 5,695.00</p> <p>ADD \$ 5,795.00</p>
<p>Powder Coating Guidebook w/ Powder Coating Test Procedures and Technical Briefs, Powder Coating System Troubleshooting Guide, Cost Analysis Software.</p>	<p>ADD \$ 137.00</p>
<p>Oven - 3 phase 208V or 230V</p> <p>Oven - Batch timer to idle burner and fan, with alarm horn</p> <p>Oven - Door switch to idle burner and fan</p> <p>Oven - 2nd set of doors (doors both ends)</p> <p>Oven - Rear or side burner box</p>	<p>ADD \$ 110.00</p> <p>Included</p> <p>ADD \$ 325.00</p> <p>ADD \$ 2,826.00</p> <p>ADD \$ 1,196.00</p>
<p>Booth - Add 3rd stage High Efficiency Filter(s) and housing to 2-stage Disposable ASHRAE Filter Booth to recirculate exhaust. Eliminates need for ceiling or wall penetrations.</p> <p>Booth - Front filtered doors</p> <p>Booth - Side man-door</p> <p>Booth - Change from 3-phase to single phase</p> <p>Booth - Crating</p>	<p>ADD \$ 1,211.00</p> <p>ADD \$ 835.00</p> <p>ADD \$ 236.00</p> <p>ADD \$ 211.00</p> <p>Included</p>
<p>Manual Spray System freight (FedEx)</p> <p>Booth lead time - 3 weeks. Booth freight not included</p> <p>Oven lead time - 5 weeks. Oven freight not included</p>	<p>ADD \$ 75.00</p> <p>Not included</p> <p>Not included</p>
<p>Standard terms 50% down with order, balance prior to ship.</p>	<p>TOTAL</p>

Unauthorized service will void manufacturers warranty and is performed at the expense of the purchaser. Prices subject to change without notice. Leads times may vary. All powder system sales final. Manufacturer limited warranty applies. Replacement parts or unit replacement at the discretion of manufacturer. Equipment damaged by shipping is the responsibility of the freight hauler. Documentation of freight damage is the responsibility of the purchaser. Ovens and booths do not carry ETL certification as a unit unless otherwise specified. 15% cancellation fee. Not included: freight, taxes, permitting, regulatory review, inspections, certifications, mechanical or electrical installation, fire suppression or exhaust duct.



QUOTE SUMMARY: Package #080816RG (includes 8w-8h-16d 500F GAS oven)

<p>Powder Coating Oven - One (1) unassembled 8'W x 8'H x 16'D (ID) walk-in natural gas or propane fired powder coating oven, 6" thick walls w/slot-tab assembly, double doors one end, top mounted burner, pre-wired control panel w/ digital controls, pre-assembled, pre-piped, pre-wired burner box and gas train w/ Maxon burner and Honeywell flame safety and control valves. 2 year parts warranty. 460/60/3.</p> <p>Powder Coating Booth - One unassembled (1) 10'W x 8'H x 16'D (ID) powder booth (non-recovery type) w/ 2-stage ASHRAE disposable exhaust filters, four (4) ceiling and two (2) side-wall 4-tube 24"x48" fluorescent fixtures w/ tempered glass. Formed on CNC equipment for CAD precision. Wall panels are CNC pre-punched for easy assembly. 5/16th nut/bolt construction. Tubeaxial fan/motor/drive with non-sparking blade. Hardware/sealants. All in one shipment. 208v/230v/460v/3ph.</p> <p style="text-align: right;">Package #080816RG Price</p>	<p>\$ 32,298.00</p>
<p>Manual Spray System - One (1) ITW Gema OptiFlex-F Fluidizer Hopper Model*</p> <p>Manual Spray System - One (1) ITW Gema OptiFlex-B Box Feed Dipstick Model*</p> <p style="text-align: center;"><i>Featuring the Industries BEST 5 YEAR WARRANTY!</i></p>	<p>ADD \$ 5,695.00</p> <p>ADD \$ 5,795.00</p>
<p>Powder Coating Guidebook w/ Powder Coating Test Procedures and Technical Briefs, Powder Coating System Troubleshooting Guide, Cost Analysis Software.</p>	<p>ADD \$ 137.00</p>
<p>Oven - 3 phase 208V or 230V</p> <p>Oven - Batch timer to idle burner and fan, with alarm horn</p> <p>Oven - Door switch to idle burner and fan</p> <p>Oven - 2nd set of doors (doors both ends)</p> <p>Oven - Rear or side burner box</p>	<p>ADD \$ 110.00</p> <p>Included</p> <p>ADD \$ 325.00</p> <p>ADD \$ 2,826.00</p> <p>ADD \$ 1,196.00</p>
<p>Booth - Add 3rd stage High Efficiency Filter(s) and housing to 2-stage Disposable ASHRAE Filter Booth to recirculate exhaust. Eliminates need for ceiling or wall penetrations.</p> <p>Booth - Front filtered doors</p> <p>Booth - Side man-door</p> <p>Booth - Change from 3-phase to single phase</p> <p>Booth - Crating</p>	<p>ADD \$ 1,211.00</p> <p>ADD \$ 835.00</p> <p>ADD \$ 236.00</p> <p>ADD \$ 211.00</p> <p>Included</p>
<p>Manual Spray System freight (FedEx)</p> <p>Booth lead time - 3 weeks. Booth freight not included</p> <p>Oven lead time - 5 weeks. Oven freight not included</p>	<p>ADD \$ 75.00</p> <p>Not included</p> <p>Not included</p>
<p>Standard terms 50% down with order, balance prior to ship.</p>	<p>TOTAL</p>

Unauthorized service will void manufacturers warranty and is performed at the expense of the purchaser. Prices subject to change without notice. Leads times may vary. All powder system sales final. Manufacturer limited warranty applies. Replacement parts or unit replacement at the discretion of manufacturer. Equipment damaged by shipping is the responsibility of the freight hauler. Documentation of freight damage is the responsibility of the purchaser. Ovens and booths do not carry ETL certification as a unit unless otherwise specified. 15% cancellation fee. Not included: freight, taxes, permitting, regulatory review, inspections, certifications, mechanical or electrical installation, fire suppression or exhaust duct.



QUOTE SUMMARY: Package #080820RG (includes 8w-8h-20d 500F GAS oven)

<p>Powder Coating Oven - One (1) unassembled 8'W x 8'H x 20'D (ID) walk-in natural gas or propane fired powder coating oven, 6" thick walls w/slot-tab assembly, double doors one end, top mounted burner, pre-wired control panel w/ digital controls, pre-assembled, pre-piped, pre-wired burner box and gas train w/ Maxon burner and Honeywell flame safety and control valves. 2 year parts warranty. 460/60/3.</p> <p>Powder Coating Booth - One unassembled (1) 10'W x 8'H x 20'D (ID) powder booth (non-recovery type) w/ 2-stage ASHRAE disposable exhaust filters, four (4) ceiling and four (4) side-wall 4-tube 24"x48" fluorescent fixtures w/ tempered glass. Formed on CNC equipment for CAD precision. Wall panels are CNC pre-punched for easy assembly. 5/16th nut/bolt construction. Tubeaxial fan/motor/drive with non-sparking blade. Hardware/sealants. All in one shipment. 208v/230v/460v/3ph.</p> <p style="text-align: right;">Package #080820RG Price</p>	<p>\$ 34,556.00</p>
<p>Manual Spray System - One (1) ITW Gema OptiFlex-F Fluidizer Hopper Model*</p> <p>Manual Spray System - One (1) ITW Gema OptiFlex-B Box Feed Dipstick Model*</p> <p style="text-align: center;"><i>Featuring the Industries BEST 5 YEAR WARRANTY !</i></p>	<p>ADD \$ 5,695.00</p> <p>ADD \$ 5,795.00</p>
<p>Powder Coating Guidebook w/ Powder Coating Test Procedures and Technical Briefs, Powder Coating System Troubleshooting Guide, Cost Analysis Software.</p>	<p>ADD \$ 137.00</p>
<p>Oven - 3 phase 208V or 230V</p> <p>Oven - Batch timer to idle burner and fan, with alarm horn</p> <p>Oven - Door switch to idle burner and fan</p> <p>Oven - 2nd set of doors (doors both ends)</p> <p>Oven - Rear or side burner box</p>	<p>ADD \$ 110.00</p> <p>Included</p> <p>ADD \$ 325.00</p> <p>ADD \$ 2,762.00</p> <p>ADD \$ 1,215.00</p>
<p>Booth - Add 3rd stage High Efficiency Filter(s) and housing to 2-stage Disposable ASHRAE Filter Booth to recirculate exhaust. Eliminates need for ceiling or wall penetrations.</p> <p>Booth - Front filtered doors</p> <p>Booth - Side man-door</p> <p>Booth - Change from 3-phase to single phase</p> <p>Booth - Crating</p>	<p>ADD \$ 1,211.00</p> <p>ADD \$ 835.00</p> <p>ADD \$ 236.00</p> <p>ADD \$ 211.00</p> <p>Included</p>
<p>Manual Spray System freight (FedEx)</p> <p>Booth lead time - 3 weeks. Booth freight not included</p> <p>Oven lead time - 5 weeks. Oven freight not included</p>	<p>ADD \$ 75.00</p> <p>Not included</p> <p>Not included</p>
<p>Standard terms 50% down with order, balance prior to ship.</p>	<p>TOTAL</p>

Unauthorized service will void manufacturers warranty and is performed at the expense of the purchaser. Prices subject to change without notice. Leads times may vary. All powder system sales final. Manufacturer limited warranty applies. Replacement parts or unit replacement at the discretion of manufacturer. Equipment damaged by shipping is the responsibility of the freight hauler. Documentation of freight damage is the responsibility of the purchaser. Ovens and booths do not carry ETL certification as a unit unless otherwise specified. 15% cancellation fee. Not included: freight, taxes, permitting, regulatory review, inspections, certifications, mechanical or electrical installation, fire suppression or exhaust duct.



QUOTE SUMMARY: Package #080821RG (includes 8w-8h-21d 500F GAS oven)

<p>Powder Coating Oven - One (1) unassembled 8'W x 8'H x 21'D (ID) walk-in natural gas or propane fired powder coating oven, 6" thick walls w/slot-tab assembly, double doors one end, top mounted burner, pre-wired control panel w/ digital controls, pre-assembled, pre-piped, pre-wired burner box and gas train w/ Maxon burner and Honeywell flame safety and control valves. 2 year parts warranty. 460/60/3.</p> <p>Powder Coating Booth - One unassembled (1) 10'W x 8'H x 21'D (ID) powder booth (non-recovery type) w/ 2-stage ASHRAE disposable exhaust filters, four (4) ceiling and four (4) side-wall 4-tube 24"x48" fluorescent fixtures w/ tempered glass. Formed on CNC equipment for CAD precision. Wall panels are CNC pre-punched for easy assembly. 5/16th nut/bolt construction. Tubeaxial fan/motor/drive with non-sparking blade. Hardware/sealants. All in one shipment. 208v/230v/460v/3ph.</p> <p style="text-align: right;">Package #080821RG Price</p>	<p>\$ 36,374.00</p>
<p>Manual Spray System - One (1) ITW Gema OptiFlex-F Fluidizer Hopper Model*</p> <p>Manual Spray System - One (1) ITW Gema OptiFlex-B Box Feed Dipstick Model*</p> <p style="text-align: center;"><i>Featuring the Industries BEST 5 YEAR WARRANTY !</i></p>	<p>ADD \$ 5,695.00</p> <p>ADD \$ 5,795.00</p>
<p>Powder Coating Guidebook w/ Powder Coating Test Procedures and Technical Briefs, Powder Coating System Troubleshooting Guide, Cost Analysis Software.</p>	<p>ADD \$ 137.00</p>
<p>Oven - 3 phase 208V or 230V</p> <p>Oven - Batch timer to idle burner and fan, with alarm horn</p> <p>Oven - Door switch to idle burner and fan</p> <p>Oven - 2nd set of doors (doors both ends)</p> <p>Oven - Rear or side burner box</p>	<p>ADD \$ 110.00</p> <p>Included</p> <p>ADD \$ 325.00</p> <p>ADD \$ 2,762.00</p> <p>ADD \$ 1,215.00</p>
<p>Booth - Add 3rd stage High Efficiency Filter(s) and housing to 2-stage Disposable ASHRAE Filter Booth to recirculate exhaust. Eliminates need for ceiling or wall penetrations.</p> <p>Booth - Front filtered doors</p> <p>Booth - Side man-door</p> <p>Booth - Change from 3-phase to single phase</p> <p>Booth - Crating</p>	<p>ADD \$ 1,211.00</p> <p>ADD \$ 835.00</p> <p>ADD \$ 236.00</p> <p>ADD \$ 211.00</p> <p>Included</p>
<p>Manual Spray System freight (FedEx)</p> <p>Booth lead time - 3 weeks. Booth freight not included</p> <p>Oven lead time - 5 weeks. Oven freight not included</p>	<p>ADD \$ 75.00</p> <p>Not included</p> <p>Not included</p>
<p>Standard terms 50% down with order, balance prior to ship.</p>	<p>TOTAL</p>

Unauthorized service will void manufacturers warranty and is performed at the expense of the purchaser. Prices subject to change without notice. Leads times may vary. All powder system sales final. Manufacturer limited warranty applies. Replacement parts or unit replacement at the discretion of manufacturer. Equipment damaged by shipping is the responsibility of the freight hauler. Documentation of freight damage is the responsibility of the purchaser. Ovens and booths do not carry ETL certification as a unit unless otherwise specified. 15% cancellation fee. Not included: freight, taxes, permitting, regulatory review, inspections, certifications, mechanical or electrical installation, fire suppression or exhaust duct.



QUOTE SUMMARY: Package #080825RG (includes 8w-8h-25d 500F GAS oven)

<p>Powder Coating Oven - One (1) unassembled 8'W x 8'H x 25'D (ID) walk-in natural gas or propane fired powder coating oven, 6" thick walls w/slot-tab assembly, double doors one end, top mounted burner, pre-wired control panel w/ digital controls, pre-assembled, pre-piped, pre-wired burner box and gas train w/ Maxon burner and Honeywell flame safety and control valves. 2 year parts warranty. 460/60/3.</p> <p>Powder Coating Booth - One unassembled (1) 10'W x 8'H x 25'D (ID) powder booth (non-recovery type) w/ 2-stage ASHRAE disposable exhaust filters, six (6) ceiling and four (4) side-wall 4-tube 24"x48" fluorescent fixtures w/ tempered glass. Formed on CNC equipment for CAD precision. Wall panels are CNC pre-punched for easy assembly. 5/16th nut/bolt construction. Tubeaxial fan/motor/drive with non-sparking blade. Hardware/sealants. All in one shipment. 208v/230v/460v/3ph.</p> <p style="text-align: right;">Package #080825RG Price</p>	<p>\$ 37,654.00</p>
<p>Manual Spray System - One (1) ITW Gema OptiFlex-F Fluidizer Hopper Model*</p> <p>Manual Spray System - One (1) ITW Gema OptiFlex-B Box Feed Dipstick Model*</p> <p style="text-align: center;"><i>Featuring the Industries BEST 5 YEAR WARRANTY!</i></p>	<p>ADD \$ 5,695.00</p> <p>ADD \$ 5,795.00</p>
<p>Powder Coating Guidebook w/ Powder Coating Test Procedures and Technical Briefs, Powder Coating System Troubleshooting Guide, Cost Analysis Software.</p>	<p>ADD \$ 137.00</p>
<p>Oven - 3 phase 208V or 230V</p> <p>Oven - Batch timer to idle burner and fan, with alarm horn</p> <p>Oven - Door switch to idle burner and fan</p> <p>Oven - 2nd set of doors (doors both ends)</p> <p>Oven - Rear or side burner box</p>	<p>ADD \$ 140/\$120</p> <p>Included</p> <p>ADD \$ 325.00</p> <p>ADD \$ 2,762.00</p> <p>ADD \$ 1,274.00</p>
<p>Booth - Add 3rd stage High Efficiency Filter(s) and housing to 2-stage Disposable ASHRAE Filter Booth to recirculate exhaust. Eliminates need for ceiling or wall penetrations.</p> <p>Booth - Front filtered doors</p> <p>Booth - Side man-door</p> <p>Booth - Change from 3-phase to single phase</p> <p>Booth - Crating</p>	<p>ADD \$ 1,211.00</p> <p>ADD \$ 835.00</p> <p>ADD \$ 236.00</p> <p>ADD \$ 211.00</p> <p>Included</p>
<p>Manual Spray System freight (FedEx)</p> <p>Booth lead time - 3 weeks. Booth freight not included</p> <p>Oven lead time - 5 weeks. Oven freight not included</p>	<p>ADD \$ 75.00</p> <p>Not included</p> <p>Not included</p>
<p>Standard terms 50% down with order, balance prior to ship.</p>	<p>TOTAL</p>

Unauthorized service will void manufacturers warranty and is performed at the expense of the purchaser. Prices subject to change without notice. Leads times may vary. All powder system sales final. Manufacturer limited warranty applies. Replacement parts or unit replacement at the discretion of manufacturer. Equipment damaged by shipping is the responsibility of the freight hauler. Documentation of freight damage is the responsibility of the purchaser. Ovens and booths do not carry ETL certification as a unit unless otherwise specified. 15% cancellation fee. Not included: freight, taxes, permitting, regulatory review, inspections, certifications, mechanical or electrical installation, fire suppression or exhaust duct.



QUOTE SUMMARY: Package #080826RG (includes 8w-8h-26d 500F GAS oven)

<p>Powder Coating Oven - One (1) unassembled 8'W x 8'H x 26'D (ID) walk-in natural gas or propane fired powder coating oven, 6" thick walls w/slot-tab assembly, double doors one end, top mounted burner, pre-wired control panel w/ digital controls, pre-assembled, pre-piped, pre-wired burner box and gas train w/ Maxon burner and Honeywell flame safety and control valves. 2 year parts warranty. 460/60/3.</p> <p>Powder Coating Booth - One unassembled (1) 10'W x 8'H x 26'D (ID) powder booth (non-recovery type) w/ 2-stage ASHRAE disposable exhaust filters, six (6) ceiling and four (4) side-wall 4-tube 24"x48" fluorescent fixtures w/ tempered glass. Formed on CNC equipment for CAD precision. Wall panels are CNC pre-punched for easy assembly. 5/16th nut/bolt construction. Tubeaxial fan/motor/drive with non-sparking blade. Hardware/sealants. All in one shipment. 208v/230v/460v/3ph.</p> <p style="text-align: right;">Package #080826RG Price</p>	<p>\$ 38,891.00</p>
<p>Manual Spray System - One (1) ITW Gema OptiFlex-F Fluidizer Hopper Model*</p> <p>Manual Spray System - One (1) ITW Gema OptiFlex-B Box Feed Dipstick Model*</p> <p style="text-align: center;"><i>Featuring the Industries BEST 5 YEAR WARRANTY !</i></p>	<p>ADD \$ 5,695.00</p> <p>ADD \$ 5,795.00</p>
<p>Powder Coating Guidebook w/ Powder Coating Test Procedures and Technical Briefs, Powder Coating System Troubleshooting Guide, Cost Analysis Software.</p>	<p>ADD \$ 137.00</p>
<p>Oven - 3 phase 208V or 230V</p> <p>Oven - Batch timer to idle burner and fan, with alarm horn</p> <p>Oven - Door switch to idle burner and fan</p> <p>Oven - 2nd set of doors (doors both ends)</p> <p>Oven - Rear or side burner box</p>	<p>ADD \$ 140/\$120</p> <p>Included</p> <p>ADD \$ 325.00</p> <p>ADD \$ 2,762.00</p> <p>ADD \$ 1,274.00</p>
<p>Booth - Add 3rd stage High Efficiency Filter(s) and housing to 2-stage Disposable ASHRAE Filter Booth to recirculate exhaust. Eliminates need for ceiling or wall penetrations.</p> <p>Booth - Front filtered doors</p> <p>Booth - Side man-door</p> <p>Booth - Change from 3-phase to single phase</p> <p>Booth - Crating</p>	<p>ADD \$ 1,211.00</p> <p>ADD \$ 835.00</p> <p>ADD \$ 236.00</p> <p>ADD \$ 211.00</p> <p>Included</p>
<p>Manual Spray System freight (FedEx)</p> <p>Booth lead time - 3 weeks. Booth freight not included</p> <p>Oven lead time - 5 weeks. Oven freight not included</p>	<p>ADD \$ 75.00</p> <p>Not included</p> <p>Not included</p>
<p>Standard terms 50% down with order, balance prior to ship.</p>	<p>TOTAL</p>

Unauthorized service will void manufacturers warranty and is performed at the expense of the purchaser. Prices subject to change without notice. Leads times may vary. All powder system sales final. Manufacturer limited warranty applies. Replacement parts or unit replacement at the discretion of manufacturer. Equipment damaged by shipping is the responsibility of the freight hauler. Documentation of freight damage is the responsibility of the purchaser. Ovens and booths do not carry ETL certification as a unit unless otherwise specified. 15% cancellation fee. Not included: freight, taxes, permitting, regulatory review, inspections, certifications, mechanical or electrical installation, fire suppression or exhaust duct.



QUOTE SUMMARY: Package #080830RG (includes 8w-8h-30d 500F GAS oven)

<p>Powder Coating Oven - One (1) unassembled 8'W x 8'H x 30'D (ID) walk-in natural gas or propane fired powder coating oven, 6" thick walls w/slot-tab assembly, double doors one end, top mounted burner, pre-wired control panel w/ digital controls, pre-assembled, pre-piped, pre-wired burner box and gas train w/ Maxon burner and Honeywell flame safety and control valves. 2 year parts warranty. 460/60/3.</p> <p>Powder Coating Booth - One unassembled (1) 10'W x 8'H x 30'D (ID) powder booth (non-recovery type) w/ 2-stage ASHRAE disposable exhaust filters, six (6) ceiling and six (6) side-wall 4-tube 24"x48" fluorescent fixtures w/ tempered glass. Formed on CNC equipment for CAD precision. Wall panels are CNC pre-punched for easy assembly. 5/16th nut/bolt construction. Tubeaxial fan/motor/drive with non-sparking blade. Hardware/sealants. All in one shipment. 208v/230v/460v/3ph.</p>	<p style="text-align: right;">Package #080830RG Price</p> <p style="text-align: right;">\$ 42,700.00</p>
<p>Manual Spray System - One (1) ITW Gema OptiFlex-F Fluidizer Hopper Model*</p> <p>Manual Spray System - One (1) ITW Gema OptiFlex-B Box Feed Dipstick Model*</p> <p style="text-align: center;"><i>Featuring the Industries BEST 5 YEAR WARRANTY !</i></p>	<p style="text-align: right;">ADD \$ 5,695.00</p> <p style="text-align: right;">ADD \$ 5,795.00</p>
<p>Powder Coating Guidebook w/ Powder Coating Test Procedures and Technical Briefs, Powder Coating System Troubleshooting Guide, Cost Analysis Software.</p>	<p style="text-align: right;">ADD \$ 137.00</p>
<p>Oven - 3 phase 208V or 230V</p> <p>Oven - Batch timer to idle burner and fan, with alarm horn</p> <p>Oven - Door switch to idle burner and fan</p> <p>Oven - 2nd set of doors (doors both ends)</p> <p>Oven - Rear or side burner box</p>	<p style="text-align: right;">ADD \$ 140/\$120</p> <p style="text-align: right;">Included</p> <p style="text-align: right;">ADD \$ 325.00</p> <p style="text-align: right;">ADD \$ 2,762.00</p> <p style="text-align: right;">ADD \$ 1,350.00</p>
<p>Booth - Add 3rd stage High Efficiency Filter(s) and housing to 2-stage Disposable ASHRAE Filter Booth to recirculate exhaust. Eliminates need for ceiling or wall penetrations.</p> <p>Booth - Front filtered doors</p> <p>Booth - Side man-door</p> <p>Booth - Change from 3-phase to single phase</p> <p>Booth - Crating</p>	<p style="text-align: right;">ADD \$ 1,211.00</p> <p style="text-align: right;">ADD \$ 835.00</p> <p style="text-align: right;">ADD \$ 236.00</p> <p style="text-align: right;">ADD \$ 211.00</p> <p style="text-align: right;">Included</p>
<p>Manual Spray System freight (FedEx)</p> <p>Booth lead time - 3 weeks. Booth freight not included</p> <p>Oven lead time - 5 weeks. Oven freight not included</p>	<p style="text-align: right;">ADD \$ 75.00</p> <p style="text-align: right;">Not included</p> <p style="text-align: right;">Not included</p>
<p>Standard terms 50% down with order, balance prior to ship.</p>	<p style="text-align: right;">TOTAL</p>

Unauthorized service will void manufacturers warranty and is performed at the expense of the purchaser. Prices subject to change without notice. Leads times may vary. All powder system sales final. Manufacturer limited warranty applies. Replacement parts or unit replacement at the discretion of manufacturer. Equipment damaged by shipping is the responsibility of the freight hauler. Documentation of freight damage is the responsibility of the purchaser. Ovens and booths do not carry ETL certification as a unit unless otherwise specified. 15% cancellation fee. Not included: freight, taxes, permitting, regulatory review, inspections, certifications, mechanical or electrical installation, fire suppression or exhaust duct.



QUOTE SUMMARY: Package #100820RG (includes 10w-8h-20d 500F GAS oven)

<p>Powder Coating Oven - One (1) unassembled 10'W x 8'H x 20'D (ID) walk-in natural gas or propane fired powder coating oven, 6" thick walls w/slot-tab assembly, double doors one end, top mounted burner, pre-wired control panel w/ digital controls, pre-assembled, pre-piped, pre-wired burner box and gas train w/ Maxon burner and Honeywell flame safety and control valves. 2 year parts warranty. 460/60/3.</p> <p>Powder Coating Booth - One unassembled (1) 12'W x 8'H x 20'D (ID) powder booth (non-recovery type) w/ 2-stage ASHRAE disposable exhaust filters, four (4) ceiling and four (4) side-wall 4-tube 24"x48" fluorescent fixtures w/ tempered glass. Formed on CNC equipment for CAD precision. Wall panels are CNC pre-punched for easy assembly. 5/16th nut/bolt construction. Tubeaxial fan/motor/drive with non-sparking blade. Hardware/sealants. All in one shipment. 208v/230v/460v/3ph.</p> <p style="text-align: right;">Package #100820RG Price</p>	<p>\$ 40,417.00</p>
<p>Manual Spray System - One (1) ITW Gema OptiFlex-F Fluidizer Hopper Model*</p> <p>Manual Spray System - One (1) ITW Gema OptiFlex-B Box Feed Dipstick Model*</p> <p style="text-align: center;"><i>Featuring the Industries BEST 5 YEAR WARRANTY!</i></p>	<p>ADD \$ 5,695.00</p> <p>ADD \$ 5,795.00</p>
<p>Powder Coating Guidebook w/ Powder Coating Test Procedures and Technical Briefs, Powder Coating System Troubleshooting Guide, Cost Analysis Software.</p>	<p>ADD \$ 137.00</p>
<p>Oven - 3 phase 208V or 230V</p> <p>Oven - Batch timer to idle burner and fan, with alarm horn</p> <p>Oven - Door switch to idle burner and fan</p> <p>Oven - 2nd set of doors (doors both ends)</p> <p>Oven - Rear or side burner box</p>	<p>ADD \$ 140/\$120</p> <p>Included</p> <p>ADD \$ 325.00</p> <p>ADD \$ 3,544.00</p> <p>ADD \$ 1,286.00</p>
<p>Booth - Add 3rd stage High Efficiency Filter(s) and housing to 2-stage Disposable ASHRAE Filter Booth to recirculate exhaust. Eliminates need for ceiling or wall penetrations.</p> <p>Booth - Front filtered doors</p> <p>Booth - Side man-door</p> <p>Booth - Change from 3-phase to single phase</p> <p>Booth - Crating</p>	<p>ADD \$ 1,211.00</p> <p>ADD \$ 1,040.00</p> <p>ADD \$ 236.00</p> <p>ADD \$ 211.00</p> <p>Included</p>
<p>Manual Spray System freight (FedEx)</p> <p>Booth lead time - 3 weeks. Booth freight not included</p> <p>Oven lead time - 6 weeks. Oven freight not included</p>	<p>ADD \$ 75.00</p> <p>Not included</p> <p>Not included</p>
<p>Standard terms 50% down with order, balance prior to ship.</p>	<p>TOTAL</p>

Unauthorized service will void manufacturers warranty and is performed at the expense of the purchaser. Prices subject to change without notice. Leads times may vary. All powder system sales final. Manufacturer limited warranty applies. Replacement parts or unit replacement at the discretion of manufacturer. Equipment damaged by shipping is the responsibility of the freight hauler. Documentation of freight damage is the responsibility of the purchaser. Ovens and booths do not carry ETL certification as a unit unless otherwise specified. 15% cancellation fee. Not included: freight, taxes, permitting, regulatory review, inspections, certifications, mechanical or electrical installation, fire suppression or exhaust duct.



QUOTE SUMMARY: Package #100821RG (includes 10w-8h-21d 500F GAS oven)

<p>Powder Coating Oven - One (1) unassembled 10'W x 8'H x 21'D (ID) walk-in natural gas or propane fired powder coating oven, 6" thick walls w/slot-tab assembly, double doors one end, top mounted burner, pre-wired control panel w/ digital controls, pre-assembled, pre-piped, pre-wired burner box and gas train w/ Maxon burner and Honeywell flame safety and control valves. 2 year parts warranty. 460/60/3.</p> <p>Powder Coating Booth - One unassembled (1) 12'W x 8'H x 21'D (ID) powder booth (non-recovery type) w/ 2-stage ASHRAE disposable exhaust filters, four (4) ceiling and four (4) side-wall 4-tube 24"x48" fluorescent fixtures w/ tempered glass. Formed on CNC equipment for CAD precision. Wall panels are CNC pre-punched for easy assembly. 5/16th nut/bolt construction. Tubeaxial fan/motor/drive with non-sparking blade. Hardware/sealants. All in one shipment. 208v/230v/460v/3ph.</p> <p style="text-align: right;">Package #100821RG Price</p>	<p>\$ 42,367.00</p>
<p>Manual Spray System - One (1) ITW Gema OptiFlex-F Fluidizer Hopper Model*</p> <p>Manual Spray System - One (1) ITW Gema OptiFlex-B Box Feed Dipstick Model*</p> <p style="text-align: center;"><i>Featuring the Industries BEST 5 YEAR WARRANTY!</i></p>	<p>ADD \$ 5,695.00</p> <p>ADD \$ 5,795.00</p>
<p>Powder Coating Guidebook w/ Powder Coating Test Procedures and Technical Briefs, Powder Coating System Troubleshooting Guide, Cost Analysis Software.</p>	<p>ADD \$ 137.00</p>
<p>Oven - 3 phase 208V or 230V</p> <p>Oven - Batch timer to idle burner and fan, with alarm horn</p> <p>Oven - Door switch to idle burner and fan</p> <p>Oven - 2nd set of doors (doors both ends)</p> <p>Oven - Rear or side burner box</p>	<p>ADD \$ 140/\$120</p> <p>Included</p> <p>ADD \$ 325.00</p> <p>ADD \$ 3,544.00</p> <p>ADD \$ 1,286.00</p>
<p>Booth - Add 3rd stage High Efficiency Filter(s) and housing to 2-stage Disposable ASHRAE Filter Booth to recirculate exhaust. Eliminates need for ceiling or wall penetrations.</p> <p>Booth - Front filtered doors</p> <p>Booth - Side man-door</p> <p>Booth - Change from 3-phase to single phase</p> <p>Booth - Crating</p>	<p>ADD \$ 1,211.00</p> <p>ADD \$ 1,040.00</p> <p>ADD \$ 236.00</p> <p>ADD \$ 211.00</p> <p>Included</p>
<p>Manual Spray System freight (FedEx)</p> <p>Booth lead time - 3 weeks. Booth freight not included</p> <p>Oven lead time - 6 weeks. Oven freight not included</p>	<p>ADD \$ 75.00</p> <p>Not included</p> <p>Not included</p>
<p>Standard terms 50% down with order, balance prior to ship.</p>	<p>TOTAL</p>

Unauthorized service will void manufacturers warranty and is performed at the expense of the purchaser. Prices subject to change without notice. Leads times may vary. All powder system sales final. Manufacturer limited warranty applies. Replacement parts or unit replacement at the discretion of manufacturer. Equipment damaged by shipping is the responsibility of the freight hauler. Documentation of freight damage is the responsibility of the purchaser. Ovens and booths do not carry ETL certification as a unit unless otherwise specified. 15% cancellation fee. Not included: freight, taxes, permitting, regulatory review, inspections, certifications, mechanical or electrical installation, fire suppression or exhaust duct.



QUOTE SUMMARY: Package #100825RG (includes 10w-8h-25d 500F GAS oven)

<p>Powder Coating Oven - One (1) unassembled 10'W x 8'H x 25'D (ID) walk-in natural gas or propane fired powder coating oven, 6" thick walls w/slot-tab assembly, double doors one end, top mounted burner, pre-wired control panel w/ digital controls, pre-assembled, pre-piped, pre-wired burner box and gas train w/ Maxon burner and Honeywell flame safety and control valves. 2 year parts warranty. 460/60/3.</p> <p>Powder Coating Booth - One unassembled (1) 12'W x 8'H x 25'D (ID) powder booth (non-recovery type) w/ 2-stage ASHRAE disposable exhaust filters, six (6) ceiling and four (4) side-wall 4-tube 24"x48" fluorescent fixtures w/ tempered glass. Formed on CNC equipment for CAD precision. Wall panels are CNC pre-punched for easy assembly. 5/16th nut/bolt construction. Tubeaxial fan/motor/drive with non-sparking blade. Hardware/sealants. All in one shipment. 208v/230v/460v/3ph.</p> <p style="text-align: right;">Package #100825RG Price</p>	<p style="text-align: right;">\$ 44,100.00</p>
<p>Manual Spray System - One (1) ITW Gema OptiFlex-F Fluidizer Hopper Model*</p> <p>Manual Spray System - One (1) ITW Gema OptiFlex-B Box Feed Dipstick Model*</p> <p style="text-align: center;"><i>Featuring the Industries BEST 5 YEAR WARRANTY!</i></p>	<p style="text-align: right;">ADD \$ 5,695.00</p> <p style="text-align: right;">ADD \$ 5,795.00</p>
<p>Powder Coating Guidebook w/ Powder Coating Test Procedures and Technical Briefs, Powder Coating System Troubleshooting Guide, Cost Analysis Software.</p>	<p style="text-align: right;">ADD \$ 137.00</p>
<p>Oven - 3 phase 208V or 230V</p> <p>Oven - Batch timer to idle burner and fan, with alarm horn</p> <p>Oven - Door switch to idle burner and fan</p> <p>Oven - 2nd set of doors (doors both ends)</p> <p>Oven - Rear or side burner box</p>	<p style="text-align: right;">ADD \$ 165/\$120</p> <p style="text-align: right;">Included</p> <p style="text-align: right;">ADD \$ 325.00</p> <p style="text-align: right;">ADD \$ 3,544.00</p> <p style="text-align: right;">ADD \$ 1,367.00</p>
<p>Booth - Add 3rd stage High Efficiency Filter(s) and housing to 2-stage Disposable ASHRAE Filter Booth to recirculate exhaust. Eliminates need for ceiling or wall penetrations.</p> <p>Booth - Front filtered doors</p> <p>Booth - Side man-door</p> <p>Booth - Change from 3-phase to single phase</p> <p>Booth - Crating</p>	<p style="text-align: right;">ADD \$ 1,211.00</p> <p style="text-align: right;">ADD \$ 1,040.00</p> <p style="text-align: right;">ADD \$ 236.00</p> <p style="text-align: right;">ADD \$ 211.00</p> <p style="text-align: right;">Included</p>
<p>Manual Spray System freight (FedEx)</p> <p>Booth lead time - 3 weeks. Booth freight not included</p> <p>Oven lead time - 6 weeks. Oven freight not included</p>	<p style="text-align: right;">ADD \$ 75.00</p> <p style="text-align: right;">Not included</p> <p style="text-align: right;">Not included</p>
<p>Standard terms 50% down with order, balance prior to ship.</p>	<p style="text-align: right;">TOTAL</p>

Unauthorized service will void manufacturers warranty and is performed at the expense of the purchaser. Prices subject to change without notice. Leads times may vary. All powder system sales final. Manufacturer limited warranty applies. Replacement parts or unit replacement at the discretion of manufacturer. Equipment damaged by shipping is the responsibility of the freight hauler. Documentation of freight damage is the responsibility of the purchaser. Ovens and booths do not carry ETL certification as a unit unless otherwise specified. 15% cancellation fee. Not included: freight, taxes, permitting, regulatory review, inspections, certifications, mechanical or electrical installation, fire suppression or exhaust duct.



QUOTE SUMMARY: Package #100826RG (includes 10w-8h-26d 500F GAS oven)

<p>Powder Coating Oven - One (1) unassembled 10'W x 8'H x 26'D (ID) walk-in natural gas or propane fired powder coating oven, 6" thick walls w/slot-tab assembly, double doors one end, top mounted burner, pre-wired control panel w/ digital controls, pre-assembled, pre-piped, pre-wired burner box and gas train w/ Maxon burner and Honeywell flame safety and control valves. 2 year parts warranty. 460/60/3.</p> <p>Powder Coating Booth - One unassembled (1) 12'W x 8'H x 26'D (ID) powder booth (non-recovery type) w/ 2-stage ASHRAE disposable exhaust filters, six (6) ceiling and four (4) side-wall 4-tube 24"x48" fluorescent fixtures w/ tempered glass. Formed on CNC equipment for CAD precision. Wall panels are CNC pre-punched for easy assembly. 5/16th nut/bolt construction. Tubeaxial fan/motor/drive with non-sparking blade. Hardware/sealants. All in one shipment. 208v/230v/460v/3ph.</p> <p style="text-align: right;">Package #100826RG Price</p>	<p style="text-align: right;">\$ 45,425.00</p>
<p>Manual Spray System - One (1) ITW Gema OptiFlex-F Fluidizer Hopper Model*</p> <p>Manual Spray System - One (1) ITW Gema OptiFlex-B Box Feed Dipstick Model*</p> <p style="text-align: center;"><i>Featuring the Industries BEST 5 YEAR WARRANTY!</i></p>	<p style="text-align: right;">ADD \$ 5,695.00</p> <p style="text-align: right;">ADD \$ 5,795.00</p>
<p>Powder Coating Guidebook w/ Powder Coating Test Procedures and Technical Briefs, Powder Coating System Troubleshooting Guide, Cost Analysis Software.</p>	<p style="text-align: right;">ADD \$ 137.00</p>
<p>Oven - 3 phase 208V or 230V</p> <p>Oven - Batch timer to idle burner and fan, with alarm horn</p> <p>Oven - Door switch to idle burner and fan</p> <p>Oven - 2nd set of doors (doors both ends)</p> <p>Oven - Rear or side burner box</p>	<p style="text-align: right;">ADD \$ 165/\$120</p> <p style="text-align: right;">Included</p> <p style="text-align: right;">ADD \$ 325.00</p> <p style="text-align: right;">ADD \$ 3,544.00</p> <p style="text-align: right;">ADD \$ 1,367.00</p>
<p>Booth - Add 3rd stage High Efficiency Filter(s) and housing to 2-stage Disposable ASHRAE Filter Booth to recirculate exhaust. Eliminates need for ceiling or wall penetrations.</p> <p>Booth - Front filtered doors</p> <p>Booth - Side man-door</p> <p>Booth - Change from 3-phase to single phase</p> <p>Booth - Crating</p>	<p style="text-align: right;">ADD \$ 1,211.00</p> <p style="text-align: right;">ADD \$ 1,040.00</p> <p style="text-align: right;">ADD \$ 236.00</p> <p style="text-align: right;">ADD \$ 211.00</p> <p style="text-align: right;">Included</p>
<p>Manual Spray System freight (FedEx)</p> <p>Booth lead time - 3 weeks. Booth freight not included</p> <p>Oven lead time - 6 weeks. Oven freight not included</p>	<p style="text-align: right;">ADD \$ 75.00</p> <p style="text-align: right;">Not included</p> <p style="text-align: right;">Not included</p>
<p>Standard terms 50% down with order, balance prior to ship.</p>	<p style="text-align: right;">TOTAL</p>

Unauthorized service will void manufacturers warranty and is performed at the expense of the purchaser. Prices subject to change without notice. Leads times may vary. All powder system sales final. Manufacturer limited warranty applies. Replacement parts or unit replacement at the discretion of manufacturer. Equipment damaged by shipping is the responsibility of the freight hauler. Documentation of freight damage is the responsibility of the purchaser. Ovens and booths do not carry ETL certification as a unit unless otherwise specified. 15% cancellation fee. Not included: freight, taxes, permitting, regulatory review, inspections, certifications, mechanical or electrical installation, fire suppression or exhaust duct.



QUOTE SUMMARY: Package #100830RG (includes 10w-08h-30d 500F GAS oven)

<p>Powder Coating Oven - One (1) unassembled 10'W x 8'H x 30'D (ID) walk-in natural gas or propane fired powder coating oven, 6" thick walls w/slot-tab assembly, double doors one end, top mounted burner, pre-wired control panel w/ digital controls, pre-assembled, pre-piped, pre-wired burner box and gas train w/ Maxon burner and Honeywell flame safety and control valves. 2 year parts warranty. 460/60/3.</p> <p>Powder Coating Booth - One unassembled (1) 12'W x 8'H x 30'D (ID) powder booth (non-recovery type) w/ 2-stage ASHRAE disposable exhaust filters, six (6) ceiling and six (6) side-wall 4-tube 24"x48" fluorescent fixtures w/ tempered glass. 20 Formed on CNC equipment for CAD precision. Wall panels are CNC pre-punched for easy assembly. 5/16th nut/bolt construction. Tubeaxial fan/motor/drive with non-sparking blade. Hardware/sealants. All in one shipment. 208v/230v/460v/3ph.</p>	
<p style="text-align: right;">Package #100830RG Price</p>	\$ 47,461.00
<p>Manual Spray System - One (1) ITW Gema OptiFlex-F Fluidizer Hopper Model*</p> <p>Manual Spray System - One (1) ITW Gema OptiFlex-B Box Feed Dipstick Model*</p> <p style="text-align: center;"><i>Featuring the Industries BEST 5 YEAR WARRANTY!</i></p>	<p>ADD \$ 5,695.00</p> <p>ADD \$ 5,795.00</p>
<p>Powder Coating Guidebook w/ Powder Coating Test Procedures and Technical Briefs, Powder Coating System Troubleshooting Guide, Cost Analysis Software.</p>	ADD \$ 137.00
<p>Oven - 3 phase 208V or 230V</p> <p>Oven - Batch timer to idle burner and fan, with alarm horn</p> <p>Oven - Door switch to idle burner and fan</p> <p>Oven - 2nd set of doors (doors both ends)</p> <p>Oven - Rear or side burner box</p>	<p>ADD \$ 330/\$140</p> <p>Included</p> <p>ADD \$ 325.00</p> <p>ADD \$ 3,544.00</p> <p>ADD \$ 1,421.00</p>
<p>Booth - Add 3rd stage High Efficiency Filter(s) and housing to 2-stage Disposable ASHRAE Filter Booth to recirculate exhaust. Eliminates need for ceiling or wall penetrations.</p> <p>Booth - Front filtered doors</p> <p>Booth - Side man-door</p> <p>Booth - Change from 3-phase to single phase</p> <p>Booth - Crating</p>	<p>ADD \$ 1,211.00</p> <p>ADD \$ 1,040.00</p> <p>ADD \$ 236.00</p> <p>ADD \$ 211.00</p> <p>Included</p>
<p>Manual Spray System freight (FedEx)</p> <p>Booth lead time - 3 weeks. Booth freight not included</p> <p>Oven lead time - 6 weeks. Oven freight not included</p>	<p>ADD \$ 75.00</p> <p>Not included</p> <p>Not included</p>
<p>Standard terms 50% down with order, balance prior to ship.</p>	TOTAL

Unauthorized service will void manufacturers warranty and is performed at the expense of the purchaser. Prices subject to change without notice. Leads times may vary. All powder system sales final. Manufacturer limited warranty applies. Replacement parts or unit replacement at the discretion of manufacturer. Equipment damaged by shipping is the responsibility of the freight hauler. Documentation of freight damage is the responsibility of the purchaser. Ovens and booths do not carry ETL certification as a unit unless otherwise specified. 15% cancellation fee. Not included: freight, taxes, permitting, regulatory review, inspections, certifications, mechanical or electrical installation, fire suppression or exhaust duct.



QUOTE SUMMARY: Package #101020RG (includes 10w-10h-20d 500F GAS oven)

<p>Powder Coating Oven - One (1) unassembled 10'W x 10'H x 20'D (ID) walk-in natural gas or propane fired powder coating oven, 6" thick walls w/slot-tab assembly, double doors one end, top mounted burner, pre-wired control panel w/ digital controls, pre-assembled, pre-piped, pre-wired burner box and gas train w/ Maxon burner and Honeywell flame safety and control valves. 2 year parts warranty. 460/60/3.</p> <p>Powder Coating Booth - One unassembled (1) 12'W x 10'H x 20'D (ID) powder booth (non-recovery type) w/ 2-stage ASHRAE disposable exhaust filters, four (4) ceiling and four (4) side-wall 4-tube 24"x48" fluorescent fixtures w/ tempered glass. Formed on CNC equipment for CAD precision. Wall panels are CNC pre-punched for easy assembly. 5/16th nut/bolt construction. Tubeaxial fan/motor/drive with non-sparking blade. Hardware/sealants. All in one shipment. 208v/230v/460v/3ph.</p> <p style="text-align: right;">Package #101020RG Price</p>	<p>\$ 45,599.00</p>
<p>Manual Spray System - One (1) ITW Gema OptiFlex-F Fluidizer Hopper Model*</p> <p>Manual Spray System - One (1) ITW Gema OptiFlex-B Box Feed Dipstick Model*</p> <p style="text-align: center;"><i>Featuring the Industries BEST 5 YEAR WARRANTY !</i></p>	<p>ADD \$ 5,695.00</p> <p>ADD \$ 5,795.00</p>
<p>Powder Coating Guidebook w/ Powder Coating Test Procedures and Technical Briefs, Powder Coating System Troubleshooting Guide, Cost Analysis Software.</p>	<p>ADD \$ 137.00</p>
<p>Oven - 3 phase 208V or 230V</p> <p>Oven - Batch timer to idle burner and fan, with alarm horn</p> <p>Oven - Door switch to idle burner and fan</p> <p>Oven - 2nd set of doors (doors both ends)</p> <p>Oven - Rear or side burner box</p>	<p>ADD \$ 165/\$120</p> <p>Included</p> <p>ADD \$ 325.00</p> <p>ADD \$ 3,593.00</p> <p>ADD \$ 1,368.00</p>
<p>Booth - Add 3rd stage High Efficiency Filter(s) and housing to 2-stage Disposable ASHRAE Filter Booth to recirculate exhaust. Eliminates need for ceiling or wall penetrations.</p> <p>Booth - Front filtered doors</p> <p>Booth - Side man-door</p> <p>Booth - Change from 3-phase to single phase</p> <p>Booth - Crating</p>	<p>ADD \$ 1,241.00</p> <p>ADD \$ 1,166.00</p> <p>ADD \$ 236.00</p> <p>ADD \$ 211.00</p> <p>Included</p>
<p>Manual Spray System freight (FedEx)</p> <p>Booth lead time - 3 weeks. Booth freight not included</p> <p>Oven lead time - 5 weeks. Oven freight not included</p>	<p>ADD \$ 75.00</p> <p>Not included</p> <p>Not included</p>
<p>Standard terms 50% down with order, balance prior to ship.</p>	<p>TOTAL</p>

Unauthorized service will void manufacturers warranty and is performed at the expense of the purchaser. Prices subject to change without notice. Leads times may vary. All powder system sales final. Manufacturer limited warranty applies. Replacement parts or unit replacement at the discretion of manufacturer. Equipment damaged by shipping is the responsibility of the freight hauler. Documentation of freight damage is the responsibility of the purchaser. Ovens and booths do not carry ETL certification as a unit unless otherwise specified. 15% cancellation fee. Not included: freight, taxes, permitting, regulatory review, inspections, certifications, mechanical or electrical installation, fire suppression or exhaust duct.



QUOTE SUMMARY: Package #101021RG (includes 10w-10h-21d 500F GAS oven)

<p>Powder Coating Oven - One (1) unassembled 10'W x 10'H x 21'D (ID) walk-in natural gas or propane fired powder coating oven, 6" thick walls w/slot-tab assembly, double doors one end, top mounted burner, pre-wired control panel w/ digital controls, pre-assembled, pre-piped, pre-wired burner box and gas train w/ Maxon burner and Honeywell flame safety and control valves. 2 year parts warranty. 460/60/3.</p> <p>Powder Coating Booth - One unassembled (1) 12'W x 10'H x 21'D (ID) powder booth (non-recovery type) w/ 2-stage ASHRAE disposable exhaust filters, four (4) ceiling and four (4) side-wall 4-tube 24"x48" fluorescent fixtures w/ tempered glass. Formed on CNC equipment for CAD precision. Wall panels are CNC pre-punched for easy assembly. 5/16th nut/bolt construction. Tubeaxial fan/motor/drive with non-sparking blade. Hardware/sealants. All in one shipment. 208v/230v/460v/3ph.</p> <p style="text-align: right;">Package #101021RG Price</p>	<p>\$ 47,702.00</p>
<p>Manual Spray System - One (1) ITW Gema OptiFlex-F Fluidizer Hopper Model*</p> <p>Manual Spray System - One (1) ITW Gema OptiFlex-B Box Feed Dipstick Model*</p> <p style="text-align: center;"><i>Featuring the Industries BEST 5 YEAR WARRANTY!</i></p>	<p>ADD \$ 5,695.00</p> <p>ADD \$ 5,795.00</p>
<p>Powder Coating Guidebook w/ Powder Coating Test Procedures and Technical Briefs, Powder Coating System Troubleshooting Guide, Cost Analysis Software.</p>	<p>ADD \$ 137.00</p>
<p>Oven - 3 phase 208V or 230V</p> <p>Oven - Batch timer to idle burner and fan, with alarm horn</p> <p>Oven - Door switch to idle burner and fan</p> <p>Oven - 2nd set of doors (doors both ends)</p> <p>Oven - Rear or side burner box</p>	<p>ADD \$ 165/\$120</p> <p>Included</p> <p>ADD \$ 325.00</p> <p>ADD \$ 3,593.00</p> <p>ADD \$ 1,368.00</p>
<p>Booth - Add 3rd stage High Efficiency Filter(s) and housing to 2-stage Disposable ASHRAE Filter Booth to recirculate exhaust. Eliminates need for ceiling or wall penetrations.</p> <p>Booth - Front filtered doors</p> <p>Booth - Side man-door</p> <p>Booth - Change from 3-phase to single phase</p> <p>Booth - Crating</p>	<p>ADD \$ 1,241.00</p> <p>ADD \$ 1,166.00</p> <p>ADD \$ 236.00</p> <p>ADD \$ 211.00</p> <p>Included</p>
<p>Manual Spray System freight (FedEx)</p> <p>Booth lead time - 3 weeks. Booth freight not included</p> <p>Oven lead time - 5 weeks. Oven freight not included</p>	<p>ADD \$ 75.00</p> <p>Not included</p> <p>Not included</p>
<p>Standard terms 50% down with order, balance prior to ship.</p>	<p>TOTAL</p>

Unauthorized service will void manufacturers warranty and is performed at the expense of the purchaser. Prices subject to change without notice. Leads times may vary. All powder system sales final. Manufacturer limited warranty applies. Replacement parts or unit replacement at the discretion of manufacturer. Equipment damaged by shipping is the responsibility of the freight hauler. Documentation of freight damage is the responsibility of the purchaser. Ovens and booths do not carry ETL certification as a unit unless otherwise specified. 15% cancellation fee. Not included: freight, taxes, permitting, regulatory review, inspections, certifications, mechanical or electrical installation, fire suppression or exhaust duct.



QUOTE SUMMARY: Package #101025RG (includes 10w-10h-25d 500F GAS oven)

<p>Powder Coating Oven - One (1) unassembled 10'W x 10'H x 25'D (ID) walk-in natural gas or propane fired powder coating oven, 6" thick walls w/slot-tab assembly, double doors one end, top mounted burner, pre-wired control panel w/ digital controls, pre-assembled, pre-piped, pre-wired burner box and gas train w/ Maxon burner and Honeywell flame safety and control valves. 2 year parts warranty. 460/60/3.</p> <p>Powder Coating Booth - One unassembled (1) 12'W x 10'H x 25'D (ID) powder booth (non-recovery type) w/ 2-stage ASHRAE disposable exhaust filters, six (6) ceiling and four (4) side-wall 4-tube 24"x48" fluorescent fixtures w/ tempered glass. Formed on CNC equipment for CAD precision. Wall panels are CNC pre-punched for easy assembly. 5/16th nut/bolt construction. Tubeaxial fan/motor/drive with non-sparking blade. Hardware/sealants. All in one shipment. 208v/230v/460v/3ph.</p> <p style="text-align: right;">Package #101025RG Price</p>	<p>\$ 49,687.00</p>
<p>Manual Spray System - One (1) ITW Gema OptiFlex-F Fluidizer Hopper Model*</p> <p>Manual Spray System - One (1) ITW Gema OptiFlex-B Box Feed Dipstick Model*</p> <p style="text-align: center;"><i>Featuring the Industries BEST 5 YEAR WARRANTY!</i></p>	<p>ADD \$ 5,695.00</p> <p>ADD \$ 5,795.00</p>
<p>Powder Coating Guidebook w/ Powder Coating Test Procedures and Technical Briefs, Powder Coating System Troubleshooting Guide, Cost Analysis Software.</p>	<p>ADD \$ 137.00</p>
<p>Oven - 3 phase 208V or 230V</p> <p>Oven - Batch timer to idle burner and fan, with alarm horn</p> <p>Oven - Door switch to idle burner and fan</p> <p>Oven - 2nd set of doors (doors both ends)</p> <p>Oven - Rear or side burner box</p>	<p>ADD \$ 165/\$120</p> <p>Included</p> <p>ADD \$ 325.00</p> <p>ADD \$ 3,593.00</p> <p>ADD \$ 1,434.00</p>
<p>Booth - Add 3rd stage High Efficiency Filter(s) and housing to 2-stage Disposable ASHRAE Filter Booth to recirculate exhaust. Eliminates need for ceiling or wall penetrations.</p> <p>Booth - Front filtered doors</p> <p>Booth - Side man-door</p> <p>Booth - Change from 3-phase to single phase</p> <p>Booth - Crating</p>	<p>ADD \$ 1,241.00</p> <p>ADD \$ 1,166.00</p> <p>ADD \$ 236.00</p> <p>ADD \$ 211.00</p> <p>Included</p>
<p>Manual Spray System freight (FedEx)</p> <p>Booth lead time - 3 weeks. Booth freight not included</p> <p>Oven lead time - 5 weeks. Oven freight not included</p>	<p>ADD \$ 75.00</p> <p>Not included</p> <p>Not included</p>
<p>Standard terms 50% down with order, balance prior to ship.</p>	<p>TOTAL</p>

Unauthorized service will void manufacturers warranty and is performed at the expense of the purchaser. Prices subject to change without notice. Leads times may vary. All powder system sales final. Manufacturer limited warranty applies. Replacement parts or unit replacement at the discretion of manufacturer. Equipment damaged by shipping is the responsibility of the freight hauler. Documentation of freight damage is the responsibility of the purchaser. Ovens and booths do not carry ETL certification as a unit unless otherwise specified. 15% cancellation fee. Not included: freight, taxes, permitting, regulatory review, inspections, certifications, mechanical or electrical installation, fire suppression or exhaust duct.



QUOTE SUMMARY: Package #101026RG (includes 10w-10h-26d 500F GAS oven)

<p>Powder Coating Oven - One (1) unassembled 10'W x 10'H x 26'D (ID) walk-in natural gas or propane fired powder coating oven, 6" thick walls w/slot-tab assembly, double doors one end, top mounted burner, pre-wired control panel w/ digital controls, pre-assembled, pre-piped, pre-wired burner box and gas train w/ Maxon burner and Honeywell flame safety and control valves. 2 year parts warranty. 460/60/3.</p> <p>Powder Coating Booth - One unassembled (1) 12'W x 10'H x 26'D (ID) powder booth (non-recovery type) w/ 2-stage ASHRAE disposable exhaust filters, six (6) ceiling and four (4) side-wall 4-tube 24"x48" fluorescent fixtures w/ tempered glass. Formed on CNC equipment for CAD precision. Wall panels are CNC pre-punched for easy assembly. 5/16th nut/bolt construction. Tubeaxial fan/motor/drive with non-sparking blade. Hardware/sealants. All in one shipment. 208v/230v/460v/3ph.</p> <p style="text-align: right;">Package #101026RG Price</p>	<p>\$ 51,209.00</p>
<p>Manual Spray System - One (1) ITW Gema OptiFlex-F Fluidizer Hopper Model*</p> <p>Manual Spray System - One (1) ITW Gema OptiFlex-B Box Feed Dipstick Model*</p> <p style="text-align: center;"><i>Featuring the Industries BEST 5 YEAR WARRANTY!</i></p>	<p>ADD \$ 5,695.00</p> <p>ADD \$ 5,795.00</p>
<p>Powder Coating Guidebook w/ Powder Coating Test Procedures and Technical Briefs, Powder Coating System Troubleshooting Guide, Cost Analysis Software.</p>	<p>ADD \$ 137.00</p>
<p>Oven - 3 phase 208V or 230V</p> <p>Oven - Batch timer to idle burner and fan, with alarm horn</p> <p>Oven - Door switch to idle burner and fan</p> <p>Oven - 2nd set of doors (doors both ends)</p> <p>Oven - Rear or side burner box</p>	<p>ADD \$ 165/\$120</p> <p>Included</p> <p>ADD \$ 325.00</p> <p>ADD \$ 3,593.00</p> <p>ADD \$ 1,434.00</p>
<p>Booth - Add 3rd stage High Efficiency Filter(s) and housing to 2-stage Disposable ASHRAE Filter Booth to recirculate exhaust. Eliminates need for ceiling or wall penetrations.</p> <p>Booth - Front filtered doors</p> <p>Booth - Side man-door</p> <p>Booth - Change from 3-phase to single phase</p> <p>Booth - Crating</p>	<p>ADD \$ 1,241.00</p> <p>ADD \$ 1,166.00</p> <p>ADD \$ 236.00</p> <p>ADD \$ 211.00</p> <p>Included</p>
<p>Manual Spray System freight (FedEx)</p> <p>Booth lead time - 3 weeks. Booth freight not included</p> <p>Oven lead time - 5 weeks. Oven freight not included</p>	<p>ADD \$ 75.00</p> <p>Not included</p> <p>Not included</p>
<p>Standard terms 50% down with order, balance prior to ship.</p>	<p>TOTAL</p>

Unauthorized service will void manufacturers warranty and is performed at the expense of the purchaser. Prices subject to change without notice. Leads times may vary. All powder system sales final. Manufacturer limited warranty applies. Replacement parts or unit replacement at the discretion of manufacturer. Equipment damaged by shipping is the responsibility of the freight hauler. Documentation of freight damage is the responsibility of the purchaser. Ovens and booths do not carry ETL certification as a unit unless otherwise specified. 15% cancellation fee. Not included: freight, taxes, permitting, regulatory review, inspections, certifications, mechanical or electrical installation, fire suppression or exhaust duct.



QUOTE SUMMARY: Package #101030RG (includes 10w-10h-30d 500F GAS oven)

<p>Powder Coating Oven - One (1) unassembled 10'W x 10'H x 30'D (ID) walk-in natural gas or propane fired powder coating oven, 6" thick walls w/slot-tab assembly, double doors one end, top mounted burner, pre-wired control panel w/ digital controls, pre-assembled, pre-piped, pre-wired burner box and gas train w/ Maxon burner and Honeywell flame safety and control valves. 2 year parts warranty. 460/60/3.</p> <p>Powder Coating Booth - One unassembled (1) 12'W x 12'H x 30'D (ID) powder booth (non-recovery type) w/ 2-stage ASHRAE disposable exhaust filters, six (6) ceiling and six (6) side-wall 4-tube 24"x48" fluorescent fixtures w/ tempered glass. Formed on CNC equipment for CAD precision. Wall panels are CNC pre-punched for easy assembly. 5/16th nut/bolt construction. Tubeaxial fan/motor/drive with non-sparking blade. Hardware/sealants. All in one shipment. 208v/230v/460v/3ph.</p> <p style="text-align: right;">Package #101030RG Price</p>	<p>\$ 54,074.00</p>
<p>Manual Spray System - One (1) ITW Gema OptiFlex-F Fluidizer Hopper Model*</p> <p>Manual Spray System - One (1) ITW Gema OptiFlex-B Box Feed Dipstick Model*</p> <p style="text-align: center;"><i>Featuring the Industries BEST 5 YEAR WARRANTY !</i></p>	<p>ADD \$ 5,695.00</p> <p>ADD \$ 5,795.00</p>
<p>Powder Coating Guidebook w/ Powder Coating Test Procedures and Technical Briefs, Powder Coating System Troubleshooting Guide, Cost Analysis Software.</p>	<p>ADD \$ 137.00</p>
<p>Oven - 3 phase 208V or 230V</p> <p>Oven - Batch timer to idle burner and fan, with alarm horn</p> <p>Oven - Door switch to idle burner and fan</p> <p>Oven - 2nd set of doors (doors both ends)</p> <p>Oven - Rear or side burner box</p>	<p>ADD \$ 330/\$140</p> <p>Included</p> <p>ADD \$ 325.00</p> <p>ADD \$ 3,593.00</p> <p>ADD \$ 1,509.00</p>
<p>Booth - Add 3rd stage High Efficiency Filter(s) and housing to 2-stage Disposable ASHRAE Filter Booth to recirculate exhaust. Eliminates need for ceiling or wall penetrations.</p> <p>Booth - Front filtered doors</p> <p>Booth - Side man-door</p> <p>Booth - Change from 3-phase to single phase</p> <p>Booth - Crating</p>	<p>ADD \$ 1,271.00</p> <p>ADD \$ 1,229.00</p> <p>ADD \$ 236.00</p> <p>ADD \$ 211.00</p> <p>Included</p>
<p>Manual Spray System freight (FedEx)</p> <p>Booth lead time - 3 weeks. Booth freight not included</p> <p>Oven lead time - 5 weeks. Oven freight not included</p>	<p>ADD \$ 75.00</p> <p>Not included</p> <p>Not included</p>
<p>Standard terms 50% down with order, balance prior to ship.</p>	<p>TOTAL</p>

Unauthorized service will void manufacturers warranty and is performed at the expense of the purchaser. Prices subject to change without notice. Leads times may vary. All powder system sales final. Manufacturer limited warranty applies. Replacement parts or unit replacement at the discretion of manufacturer. Equipment damaged by shipping is the responsibility of the freight hauler. Documentation of freight damage is the responsibility of the purchaser. Ovens and booths do not carry ETL certification as a unit unless otherwise specified. 15% cancellation fee. Not included: freight, taxes, permitting, regulatory review, inspections, certifications, mechanical or electrical installation, fire suppression or exhaust duct.



QUOTE SUMMARY: Package #101035RG (includes 10w-10h-35d 500F GAS oven)

<p>Powder Coating Oven - One (1) unassembled 10'W x 10'H x 35'D (ID) walk-in natural gas or propane fired powder coating oven, 6" thick walls w/slot-tab assembly, double doors one end, top mounted burner, pre-wired control panel w/ digital controls, pre-assembled, pre-piped, pre-wired burner box and gas train w/ Maxon burner and Honeywell flame safety and control valves. 2 year parts warranty. 460/60/3.</p> <p>Powder Coating Booth - One unassembled (1) 12'W x 12'H x 35'D (ID) powder booth (non-recovery type) w/ 2-stage ASHRAE disposable exhaust filters, eight (8) ceiling and six (6) side-wall 4-tube 24"x48" fluorescent fixtures w/ tempered glass. Formed on CNC equipment for CAD precision. Wall panels are CNC pre-punched for easy assembly. 5/16th nut/bolt construction. Tubeaxial fan/motor/drive with non-sparking blade. Hardware/sealants. All in one shipment. 208v/230v/460v/3ph.</p> <p style="text-align: right;">Package #101035RG Price</p>	<p style="text-align: right;">\$ 60,474.00</p>
<p>Manual Spray System - One (1) ITW Gema OptiFlex-F Fluidizer Hopper Model*</p> <p>Manual Spray System - One (1) ITW Gema OptiFlex-B Box Feed Dipstick Model*</p> <p style="text-align: center;"><i>Featuring the Industries BEST 5 YEAR WARRANTY!</i></p>	<p style="text-align: right;">ADD \$ 5,695.00</p> <p style="text-align: right;">ADD \$ 5,795.00</p>
<p>Powder Coating Guidebook w/ Powder Coating Test Procedures and Technical Briefs, Powder Coating System Troubleshooting Guide, Cost Analysis Software.</p>	<p style="text-align: right;">ADD \$ 137.00</p>
<p>Oven - 3 phase 208V or 230V</p> <p>Oven - Batch timer to idle burner and fan, with alarm horn</p> <p>Oven - Door switch to idle burner and fan</p> <p>Oven - 2nd set of doors (doors both ends)</p> <p>Oven - Rear or side burner box</p>	<p style="text-align: right;">ADD \$ 330/\$140</p> <p style="text-align: right;">Included</p> <p style="text-align: right;">ADD \$ 325.00</p> <p style="text-align: right;">ADD \$ 3,593.00</p> <p style="text-align: right;">ADD \$ 1,622.00</p>
<p>Booth - Add 3rd stage High Efficiency Filter(s) and housing to 2-stage Disposable ASHRAE Filter Booth to recirculate exhaust. Eliminates need for ceiling or wall penetrations.</p> <p>Booth - Front filtered doors</p> <p>Booth - Side man-door</p> <p>Booth - Change from 3-phase to single phase</p> <p>Booth - Crating</p>	<p style="text-align: right;">ADD \$ 1,271.00</p> <p style="text-align: right;">ADD \$ 1,229.00</p> <p style="text-align: right;">ADD \$ 236.00</p> <p style="text-align: right;">ADD \$ 211.00</p> <p style="text-align: right;">Included</p>
<p>Manual Spray System freight (FedEx)</p> <p>Booth lead time - 3 weeks. Booth freight not included</p> <p>Oven lead time - 6 weeks. Oven freight not included</p>	<p style="text-align: right;">ADD \$ 75.00</p> <p style="text-align: right;">Not included</p> <p style="text-align: right;">Not included</p>
<p>Standard terms 50% down with order, balance prior to ship.</p>	<p style="text-align: right;">TOTAL</p>

Unauthorized service will void manufacturers warranty and is performed at the expense of the purchaser. Prices subject to change without notice. Leads times may vary. All powder system sales final. Manufacturer limited warranty applies. Replacement parts or unit replacement at the discretion of manufacturer. Equipment damaged by shipping is the responsibility of the freight hauler. Documentation of freight damage is the responsibility of the purchaser. Ovens and booths do not carry ETL certification as a unit unless otherwise specified. 15% cancellation fee. Not included: freight, taxes, permitting, regulatory review, inspections, certifications, mechanical or electrical installation, fire suppression or exhaust duct.



QUOTE SUMMARY: Package #101040RG (includes 10w-10h-40d 500F GAS oven)

<p>Powder Coating Oven - One (1) unassembled 10'W x 10'H x 40'D (ID) walk-in natural gas or propane fired powder coating oven, 6" thick walls w/slot-tab assembly, double doors one end, top mounted burner, pre-wired control panel w/ digital controls, pre-assembled, pre-piped, pre-wired burner box and gas train w/ Maxon burner and Honeywell flame safety and control valves. 2 year parts warranty. 460/60/3.</p> <p>Powder Coating Booth - One unassembled (1) 12'W x 12'H x 40'D (ID) powder booth (non-recovery type) w/ 2-stage ASHRAE disposable exhaust filters, ten (10) ceiling and six (6) side-wall 4-tube 24"x48" fluorescent fixtures w/ tempered glass. Formed on CNC equipment for CAD precision. Wall panels are CNC pre-punched for easy assembly. 5/16th nut/bolt construction. Tubeaxial fan/motor/drive with non-sparking blade. Hardware/sealants. All in one shipment. 208v/230v/460v/3ph.</p> <p style="text-align: right;">Package #101040RG Price</p>	<p>\$ 66,950.00</p>
<p>Manual Spray System - One (1) ITW Gema OptiFlex-F Fluidizer Hopper Model*</p> <p>Manual Spray System - One (1) ITW Gema OptiFlex-B Box Feed Dipstick Model*</p> <p style="text-align: center;"><i>Featuring the Industries BEST 5 YEAR WARRANTY !</i></p>	<p>ADD \$ 5,695.00</p> <p>ADD \$ 5,795.00</p>
<p>Powder Coating Guidebook w/ Powder Coating Test Procedures and Technical Briefs, Powder Coating System Troubleshooting Guide, Cost Analysis Software.</p>	<p>ADD \$ 137.00</p>
<p>Oven - 3 phase 208V or 230V</p> <p>Oven - Batch timer to idle burner and fan, with alarm horn</p> <p>Oven - Door switch to idle burner and fan</p> <p>Oven - 2nd set of doors (doors both ends)</p> <p>Oven - Rear or side burner box</p>	<p>ADD \$ 345/\$305</p> <p>Included</p> <p>ADD \$ 325.00</p> <p>ADD \$ 3,593.00</p> <p>ADD \$ 1,702.00</p>
<p>Booth - Add 3rd stage High Efficiency Filter(s) and housing to 2-stage Disposable ASHRAE Filter Booth to recirculate exhaust. Eliminates need for ceiling or wall penetrations.</p> <p>Booth - Front filtered doors</p> <p>Booth - Side man-door</p> <p>Booth - Change from 3-phase to single phase</p> <p>Booth - Crating</p>	<p>ADD \$ 1,271.00</p> <p>ADD \$ 1,229.00</p> <p>ADD \$ 236.00</p> <p>ADD \$ 211.00</p> <p>Included</p>
<p>Manual Spray System freight (FedEx)</p> <p>Booth lead time - 3 weeks. Booth freight not included</p> <p>Oven lead time - 5 weeks. Oven freight not included</p>	<p>ADD \$ 75.00</p> <p>Not included</p> <p>Not included</p>
<p>Standard terms 50% down with order, balance prior to ship.</p>	<p>TOTAL</p>

Unauthorized service will void manufacturers warranty and is performed at the expense of the purchaser. Prices subject to change without notice. Leads times may vary. All powder system sales final. Manufacturer limited warranty applies. Replacement parts or unit replacement at the discretion of manufacturer. Equipment damaged by shipping is the responsibility of the freight hauler. Documentation of freight damage is the responsibility of the purchaser. Ovens and booths do not carry ETL certification as a unit unless otherwise specified. 15% cancellation fee. Not included: freight, taxes, permitting, regulatory review, inspections, certifications, mechanical or electrical installation, fire suppression or exhaust duct.



QUOTE SUMMARY: Package #101045RG (includes 10w-10h-45d 500F GAS oven)

<p>Powder Coating Oven - One (1) unassembled 10'W x 10'H x 45'D (ID) walk-in natural gas or propane fired powder coating oven, 6" thick walls w/slot-tab assembly, double doors one end, top mounted burner, pre-wired control panel w/ digital controls, pre-assembled, pre-piped, pre-wired burner box and gas train w/ Maxon burner and Honeywell flame safety and control valves. 2 year parts warranty. 460/60/3.</p> <p>Powder Coating Booth - One unassembled (1) 12'W x 12'H x 45'D (ID) powder booth (non-recovery type) w/ 2-stage ASHRAE disposable exhaust filters, ten (10) ceiling and eight (8) side-wall 4-tube 24"x48" fluorescent fixtures w/ tempered glass. Formed on CNC equipment for CAD precision. Wall panels are CNC pre-punched for easy assembly. 5/16th nut/bolt construction. Tubeaxial fan/motor/drive with non-sparking blade. Hardware/sealants. All in one shipment. 208v/230v/460v/3ph.</p> <p style="text-align: right;">Package #101045RG Price</p>	<p>\$ 72,699.00</p>
<p>Manual Spray System - One (1) ITW Gema OptiFlex-F Fluidizer Hopper Model*</p> <p>Manual Spray System - One (1) ITW Gema OptiFlex-B Box Feed Dipstick Model*</p> <p style="text-align: center;"><i>Featuring the Industries BEST 5 YEAR WARRANTY !</i></p>	<p>ADD \$ 5,695.00</p> <p>ADD \$ 5,795.00</p>
<p>Powder Coating Guidebook w/ Powder Coating Test Procedures and Technical Briefs, Powder Coating System Troubleshooting Guide, Cost Analysis Software.</p>	<p>ADD \$ 137.00</p>
<p>Oven - 3 phase 208V or 230V</p> <p>Oven - Batch timer to idle burner and fan, with alarm horn</p> <p>Oven - Door switch to idle burner and fan</p> <p>Oven - 2nd set of doors (doors both ends)</p> <p>Oven - Rear or side burner box</p>	<p>ADD \$ 345/\$305</p> <p>Included</p> <p>ADD \$ 325.00</p> <p>ADD \$ 3,593.00</p> <p>ADD \$ 2,587.00</p>
<p>Booth - Add 3rd stage High Efficiency Filter(s) and housing to 2-stage Disposable ASHRAE Filter Booth to recirculate exhaust. Eliminates need for ceiling or wall penetrations.</p> <p>Booth - Front filtered doors</p> <p>Booth - Side man-door</p> <p>Booth - Change from 3-phase to single phase</p> <p>Booth - Crating</p>	<p>ADD \$ 1,271.00</p> <p>ADD \$ 1,229.00</p> <p>ADD \$ 236.00</p> <p>ADD \$ 211.00</p> <p>Included</p>
<p>Manual Spray System freight (FedEx)</p> <p>Booth lead time - 3 weeks. Booth freight not included</p> <p>Oven lead time - 5 weeks. Oven freight not included</p>	<p>ADD \$ 75.00</p> <p>Not included</p> <p>Not included</p>
<p>Standard terms 50% down with order, balance prior to ship.</p>	<p>TOTAL</p>

Unauthorized service will void manufacturers warranty and is performed at the expense of the purchaser. Prices subject to change without notice. Leads times may vary. All powder system sales final. Manufacturer limited warranty applies. Replacement parts or unit replacement at the discretion of manufacturer. Equipment damaged by shipping is the responsibility of the freight hauler. Documentation of freight damage is the responsibility of the purchaser. Ovens and booths do not carry ETL certification as a unit unless otherwise specified. 15% cancellation fee. Not included: freight, taxes, permitting, regulatory review, inspections, certifications, mechanical or electrical installation, fire suppression or exhaust duct.



QUOTE SUMMARY: Package #121230RG (includes 12w-12h-30d 500F GAS oven)

<p>Powder Coating Oven - One (1) unassembled 12'W x 12'H x 30'D (ID) walk-in natural gas or propane fired powder coating oven, 6" thick walls w/slot-tab assembly, double doors one end, top mounted burner, pre-wired control panel w/ digital controls, pre-assembled, pre-piped, pre-wired burner box and gas train w/ Maxon burner and Honeywell flame safety and control valves. 2 year parts warranty. 460/60/3.</p> <p>Powder Coating Booth - One unassembled (1) 14'W x 12'H x 30'D (ID) powder booth (non-recovery type) w/ 2-stage ASHRAE disposable exhaust filters, six (6) ceiling and six (6) side-wall 4-tube 24"x48" fluorescent fixtures w/ tempered glass. Formed on CNC equipment for CAD precision. Wall panels are CNC pre-punched for easy assembly. 5/16th nut/bolt construction. Tubeaxial fan/motor/drive with non-sparking blade. Hardware/sealants. All in one shipment. 208v/230v/460v/3ph.</p> <p style="text-align: right;">Package #121230RG Price</p>	<p>\$ 63,516.00</p>
<p>Manual Spray System - One (1) ITW Gema OptiFlex-F Fluidizer Hopper Model*</p> <p>Manual Spray System - One (1) ITW Gema OptiFlex-B Box Feed Dipstick Model*</p> <p style="text-align: center;"><i>Featuring the Industries BEST 5 YEAR WARRANTY !</i></p>	<p>ADD \$ 5,695.00</p> <p>ADD \$ 5,795.00</p>
<p>Powder Coating Guidebook w/ Powder Coating Test Procedures and Technical Briefs, Powder Coating System Troubleshooting Guide, Cost Analysis Software.</p>	<p>ADD \$ 137.00</p>
<p>Oven - 3 phase 208V or 230V</p> <p>Oven - Batch timer to idle burner and fan, with alarm horn</p> <p>Oven - Door switch to idle burner and fan</p> <p>Oven - 2nd set of doors (doors both ends)</p> <p>Oven - Rear or side burner box</p>	<p>ADD \$ 330/\$140</p> <p>Included</p> <p>ADD \$ 325.00</p> <p>ADD \$ 4,523.00</p> <p>ADD \$ 1,717.00</p>
<p>Booth - Add 3rd stage High Efficiency Filter(s) and housing to 2-stage Disposable ASHRAE Filter Booth to recirculate exhaust. Eliminates need for ceiling or wall penetrations.</p> <p>Booth - Front filtered doors</p> <p>Booth - Side man-door</p> <p>Booth - Change from 3-phase to single phase</p> <p>Booth - Crating</p>	<p>ADD \$ 1,289.00</p> <p>ADD \$ 1,386.00</p> <p>ADD \$ 236.00</p> <p>ADD \$ 211.00</p> <p>Included</p>
<p>Manual Spray System freight (FedEx)</p> <p>Booth lead time - 3 weeks. Booth freight not included</p> <p>Oven lead time - 5 weeks. Oven freight not included</p>	<p>ADD \$ 75.00</p> <p>Not included</p> <p>Not included</p>
<p>Standard terms 50% down with order, balance prior to ship.</p>	<p>TOTAL</p>

Unauthorized service will void manufacturers warranty and is performed at the expense of the purchaser. Prices subject to change without notice. Leads times may vary. All powder system sales final. Manufacturer limited warranty applies. Replacement parts or unit replacement at the discretion of manufacturer. Equipment damaged by shipping is the responsibility of the freight hauler. Documentation of freight damage is the responsibility of the purchaser. Ovens and booths do not carry ETL certification as a unit unless otherwise specified. 15% cancellation fee. Not included: freight, taxes, permitting, regulatory review, inspections, certifications, mechanical or electrical installation, fire suppression or exhaust duct.



QUOTE SUMMARY: Package #121235RG (includes 12w-12h-35d 500F GAS oven)

<p>Powder Coating Oven - One (1) unassembled 12'W x 12'H x 35'D (ID) walk-in natural gas or propane fired powder coating oven, 6" thick walls w/slot-tab assembly, double doors one end, top mounted burner, pre-wired control panel w/ digital controls, pre-assembled, pre-piped, pre-wired burner box and gas train w/ Maxon burner and Honeywell flame safety and control valves. 2 year parts warranty. 460/60/3.</p> <p>Powder Coating Booth - One unassembled (1) 14'W x 12'H x 35'D (ID) powder booth (non-recovery type) w/ 2-stage ASHRAE disposable exhaust filters, eight (8) ceiling and six (6) side-wall 4-tube 24"x48" fluorescent fixtures w/ tempered glass. Formed on CNC equipment for CAD precision. Wall panels are CNC pre-punched for easy assembly. 5/16th nut/bolt construction. Tubeaxial fan/motor/drive with non-sparking blade. Hardware/sealants. All in one shipment. 208v/230v/460v/3ph.</p> <p style="text-align: right;">Package #121235RG Price</p>	<p>\$ 69,920.00</p>
<p>Manual Spray System - One (1) ITW Gema OptiFlex-F Fluidizer Hopper Model*</p> <p>Manual Spray System - One (1) ITW Gema OptiFlex-B Box Feed Dipstick Model*</p> <p style="text-align: center;"><i>Featuring the Industries BEST 5 YEAR WARRANTY !</i></p>	<p>ADD \$ 5,695.00</p> <p>ADD \$ 5,795.00</p>
<p>Powder Coating Guidebook w/ Powder Coating Test Procedures and Technical Briefs, Powder Coating System Troubleshooting Guide, Cost Analysis Software.</p>	<p>ADD \$ 137.00</p>
<p>Oven - 3 phase 208V or 230V</p> <p>Oven - Batch timer to idle burner and fan, with alarm horn</p> <p>Oven - Door switch to idle burner and fan</p> <p>Oven - 2nd set of doors (doors both ends)</p> <p>Oven - Rear or side burner box</p>	<p>ADD \$ 330/\$140</p> <p>Included</p> <p>ADD \$ 325.00</p> <p>ADD \$ 4,523.00</p> <p>ADD \$ 1,875.00</p>
<p>Booth - Add 3rd stage High Efficiency Filter(s) and housing to 2-stage Disposable ASHRAE Filter Booth to recirculate exhaust. Eliminates need for ceiling or wall penetrations.</p> <p>Booth - Front filtered doors</p> <p>Booth - Side man-door</p> <p>Booth - Change from 3-phase to single phase</p> <p>Booth - Crating</p>	<p>ADD \$ 1,289.00</p> <p>ADD \$ 1,386.00</p> <p>ADD \$ 236.00</p> <p>ADD \$ 211.00</p> <p>Included</p>
<p>Manual Spray System freight (FedEx)</p> <p>Booth lead time - 3 weeks. Booth freight not included</p> <p>Oven lead time - 5 weeks. Oven freight not included</p>	<p>ADD \$ 75.00</p> <p>Not included</p> <p>Not included</p>
<p>Standard terms 50% down with order, balance prior to ship.</p>	<p>TOTAL</p>

Unauthorized service will void manufacturers warranty and is performed at the expense of the purchaser. Prices subject to change without notice. Leads times may vary. All powder system sales final. Manufacturer limited warranty applies. Replacement parts or unit replacement at the discretion of manufacturer. Equipment damaged by shipping is the responsibility of the freight hauler. Documentation of freight damage is the responsibility of the purchaser. Ovens and booths do not carry ETL certification as a unit unless otherwise specified. 15% cancellation fee. Not included: freight, taxes, permitting, regulatory review, inspections, certifications, mechanical or electrical installation, fire suppression or exhaust duct.



QUOTE SUMMARY: Package #121240RG (includes 12w-12h-40d 500F GAS oven)

<p>Powder Coating Oven - One (1) unassembled 12'W x 12'H x 40'D (ID) walk-in natural gas or propane fired powder coating oven, 6" thick walls w/slot-tab assembly, double doors one end, top mounted burner, pre-wired control panel w/ digital controls, pre-assembled, pre-piped, pre-wired burner box and gas train w/ Maxon burner and Honeywell flame safety and control valves. 2 year parts warranty. 460/60/3.</p> <p>Powder Coating Booth - One unassembled (1) 14'W x 12'H x 40'D (ID) powder booth (non-recovery type) w/ 2-stage ASHRAE disposable exhaust filters, ten (10) ceiling and six (6) side-wall 4-tube 24"x48" fluorescent fixtures w/ tempered glass. Formed on CNC equipment for CAD precision. Wall panels are CNC pre-punched for easy assembly. 5/16th nut/bolt construction. Tubeaxial fan/motor/drive with non-sparking blade. Hardware/sealants. All in one shipment. 208v/230v/460v/3ph.</p> <p style="text-align: right;">Package #121240RG Price</p>	<p>\$ 75,065.00</p>
<p>Manual Spray System - One (1) ITW Gema OptiFlex-F Fluidizer Hopper Model*</p> <p>Manual Spray System - One (1) ITW Gema OptiFlex-B Box Feed Dipstick Model*</p> <p style="text-align: center;"><i>Featuring the Industries BEST 5 YEAR WARRANTY !</i></p>	<p>ADD \$ 5,695.00</p> <p>ADD \$ 5,795.00</p>
<p>Powder Coating Guidebook w/ Powder Coating Test Procedures and Technical Briefs, Powder Coating System Troubleshooting Guide, Cost Analysis Software.</p>	<p>ADD \$ 137.00</p>
<p>Oven - 3 phase 208V or 230V</p> <p>Oven - Batch timer to idle burner and fan, with alarm horn</p> <p>Oven - Door switch to idle burner and fan</p> <p>Oven - 2nd set of doors (doors both ends)</p> <p>Oven - Rear or side burner box</p>	<p>ADD \$ 330/\$140</p> <p>Included</p> <p>ADD \$ 325.00</p> <p>ADD \$ 4,523.00</p> <p>ADD \$ 1,875.00</p>
<p>Booth - Add 3rd stage High Efficiency Filter(s) and housing to 2-stage Disposable ASHRAE Filter Booth to recirculate exhaust. Eliminates need for ceiling or wall penetrations.</p> <p>Booth - Front filtered doors</p> <p>Booth - Side man-door</p> <p>Booth - Change from 3-phase to single phase</p> <p>Booth - Crating</p>	<p>ADD \$ 1,289.00</p> <p>ADD \$ 1,386.00</p> <p>ADD \$ 236.00</p> <p>ADD \$ 211.00</p> <p>Included</p>
<p>Manual Spray System freight (FedEx)</p> <p>Booth lead time - 3 weeks. Booth freight not included</p> <p>Oven lead time - 5 weeks. Oven freight not included</p>	<p>ADD \$ 75.00</p> <p>Not included</p> <p>Not included</p>
<p>Standard terms 50% down with order, balance prior to ship.</p>	<p>TOTAL</p>

Unauthorized service will void manufacturers warranty and is performed at the expense of the purchaser. Prices subject to change without notice. Leads times may vary. All powder system sales final. Manufacturer limited warranty applies. Replacement parts or unit replacement at the discretion of manufacturer. Equipment damaged by shipping is the responsibility of the freight hauler. Documentation of freight damage is the responsibility of the purchaser. Ovens and booths do not carry ETL certification as a unit unless otherwise specified. 15% cancellation fee. Not included: freight, taxes, permitting, regulatory review, inspections, certifications, mechanical or electrical installation, fire suppression or exhaust duct.



QUOTE SUMMARY: Package #121245RG (includes 12w-12h-45d 500F GAS oven)

<p>Powder Coating Oven - One (1) unassembled 12'W x 12'H x 45'D (ID) walk-in natural gas or propane fired powder coating oven, 6" thick walls w/slot-tab assembly, double doors one end, top mounted burner, pre-wired control panel w/ digital controls, pre-assembled, pre-piped, pre-wired burner box and gas train w/ Maxon burner and Honeywell flame safety and control valves. 2 year parts warranty. 460/60/3.</p> <p>Powder Coating Booth - One unassembled (1) 14'W x 12'H x 45'D (ID) powder booth (non-recovery type) w/ 2-stage ASHRAE disposable exhaust filters, ten (10) ceiling and eight (8) side-wall 4-tube 24"x48" fluorescent fixtures w/ tempered glass. Formed on CNC equipment for CAD precision. Wall panels are CNC pre-punched for easy assembly. 5/16th nut/bolt construction. Tubeaxial fan/motor/drive with non-sparking blade. Hardware/sealants. All in one shipment. 208v/230v/460v/3ph.</p> <p style="text-align: right;">Package #121245RG Price</p>	<p>\$ 80,908.00</p>
<p>Manual Spray System - One (1) ITW Gema OptiFlex-F Fluidizer Hopper Model*</p> <p>Manual Spray System - One (1) ITW Gema OptiFlex-B Box Feed Dipstick Model*</p> <p style="text-align: center;"><i>Featuring the Industries BEST 5 YEAR WARRANTY !</i></p>	<p>ADD \$ 5,695.00</p> <p>ADD \$ 5,795.00</p>
<p>Powder Coating Guidebook w/ Powder Coating Test Procedures and Technical Briefs, Powder Coating System Troubleshooting Guide, Cost Analysis Software.</p>	<p>ADD \$ 137.00</p>
<p>Oven - 3 phase 208V or 230V</p> <p>Oven - Batch timer to idle burner and fan, with alarm horn</p> <p>Oven - Door switch to idle burner and fan</p> <p>Oven - 2nd set of doors (doors both ends)</p> <p>Oven - Rear or side burner box</p>	<p>ADD \$ 330/\$140</p> <p>Included</p> <p>ADD \$ 325.00</p> <p>ADD \$ 4,523.00</p> <p>ADD \$ 1,981.00</p>
<p>Booth - Add 3rd stage High Efficiency Filter(s) and housing to 2-stage Disposable ASHRAE Filter Booth to recirculate exhaust. Eliminates need for ceiling or wall penetrations.</p> <p>Booth - Front filtered doors</p> <p>Booth - Side man-door</p> <p>Booth - Change from 3-phase to single phase</p> <p>Booth - Crating</p>	<p>ADD \$ 1,289.00</p> <p>ADD \$ 1,386.00</p> <p>ADD \$ 236.00</p> <p>ADD \$ 211.00</p> <p>Included</p>
<p>Manual Spray System freight (FedEx)</p> <p>Booth lead time - 3 weeks. Booth freight not included</p> <p>Oven lead time - 5 weeks. Oven freight not included</p>	<p>ADD \$ 75.00</p> <p>Not included</p> <p>Not included</p>
<p>Standard terms 50% down with order, balance prior to ship.</p>	<p>TOTAL</p>

Unauthorized service will void manufacturers warranty and is performed at the expense of the purchaser. Prices subject to change without notice. Leads times may vary. All powder system sales final. Manufacturer limited warranty applies. Replacement parts or unit replacement at the discretion of manufacturer. Equipment damaged by shipping is the responsibility of the freight hauler. Documentation of freight damage is the responsibility of the purchaser. Ovens and booths do not carry ETL certification as a unit unless otherwise specified. 15% cancellation fee. Not included: freight, taxes, permitting, regulatory review, inspections, certifications, mechanical or electrical installation, fire suppression or exhaust duct.

**Powder Coating Packages – Continued****Not Included:**

- Mechanical installation
- Freight, taxes, permits
- Field electrical hook-up
- Tubes or bulbs
- Duct package (note: High-efficiency 3rd Stage option recirculates air and does not require exhaust duct)
- Fire protection as required
- Air lines
- Attachment anchors from booth to floor
- Electrical hookup

General Terms*

50% down with order
Balance prior to ship

Unauthorized service will void manufacturers warranty and is performed at the expense of the purchaser. Prices subject to change without notice. Leads times may vary. All powder system sales final. Manufacturer limited warranty applies. Replacement parts or unit replacement at the discretion of manufacturer. Equipment damaged by shipping is the responsibility of the freight hauler. Documentation of freight damage is the responsibility of the purchaser. Ovens and booths do not carry ETL certification as a unit unless otherwise specified. 15% cancellation fee. Not included: freight, taxes, permitting, regulatory review, inspections, certifications, mechanical or electrical installation, fire suppression or exhaust duct.